



Storage Statement (Statutory Declaration)

Western Australia Firearms Act 1973 (R.11C)

LICENSING ENFORCEMENT DIVISION

303 Sevenoaks Street Cannington, Western Australia 6107

Post: Locked Bag 9 East Perth WA 6892

Email: LicensingServices@police.wa.gov.au

Telephone: 1300 171 011

EXAMPLE ONLYApplication Number - *this can be found on your Australia Post receipt* This Storage Statement is provided in support of my firearm application.

201801742OFIRZ

Licence Number

OR

 This Storage Statement is provided as I have changed my address and reinstalled my storage cabinet.

COMPLETE FORM IN CAPITAL LETTERS

Person Making Statutory Declaration

Family Name	Smith			Date of Birth DD/MM/YYYY	01/01/2000
All Given Names	John Steven				
Home Phone	08 1234 5678	Work Phone	08 1234 4568	Mobile Phone	0400 123 456
Email	Johnsmith@gmail.com				
Unit / Lot / Level	1	Street Number	12	Street Name	Main
Street Type	Street	Suburb	Perth	State	WA
				Postcode	6000

Declaration

I, the person described above, sincerely declare as follows;

To ensure that any firearm or ammunition in my possession is stored in accordance with the Firearms Regulations 1974 r. 11A, I have;

- A lockable cabinet or container described below that at least meets the specifications described in Schedule 4 of those regulations in both construction and anchoring.
- A separate lockable metal container described below that is securely affixed to the above cabinet or container, in which to store ammunition.

Description of Storage Arrangement Commercially Produced or Custom Made

Make / Model (if known)	Lokaway - LOK2K	Handgun storage capacity	5	Long arms storage capacity	
Type of surfaces attached to eg concrete, timber	Concrete floor, brick wall	Size and length of bolts used	8mm x 75mm masonry bolt	Size of washers used	40mm x 2mm round washer

Minimum required is 8x75mm *Minimum required is 40x2mm*

Description of construction and how the cabinet has been anchored.

Anchored from two inside points on each of the two separate surfaces using two 8mm x 75mm masonry bolts into the concrete floor and two 8mm x 75mm masonry bolts into the brick wall. Each anchor point is reinforced by 40mm x 2mm round washers between the cabinet surface and the head of the bolt

Details of any additional security measures in place
eg: CCTV, alarm system

Home alarm system with security cameras



Storage Statement (Statutory Declaration)

WESTERN AUSTRALIA
POLICE FORCE
LICENSING SERVICES

Western Australia Firearms Act 1973 (R.11C)

LICENSING ENFORCEMENT DIVISION
303 Sevenoaks Street Cannington, Western Australia 6107
Post: Locked Bag 9 East Perth WA 6892
Email: LicensingServices@police.wa.gov.au
Telephone: 1300 171 011

EXAMPLE ONLY

Alternative Storage Arrangement *(Only to be completed if storage is alternative to Schedule 4)*

Provide details of your alternative storage below:

Storage Location

The storage location of my firearms is the same as my residential address. *(If no, provide further details below)* Yes No

Unit / Lot / Level Street Number Street Name
Street Type Suburb State Postcode

Statutory Declaration *(Applicant or Licensee to complete)*

- Proof of purchase/fitting of an approved lockable cabinet or other storage facility attached.
- Photographs of approved lockable cabinet or other storage facility attached.

This declaration is true and I know that it is an offence to make a declaration knowing that it is false in a material particular.
This declaration is made under the Oaths, Affidavits and Statutory Declarations Act 2005

at location

on / / by
D D M M Y Y Y Y Applicant/Licensee Signature

in the presence of this authorised witness:
Authorised Witness Signature

Witness Name

Witness Qualification



Storage Statement (Statutory Declaration)

Western Australia Firearms Act 1973 (R.11C)

LICENSING ENFORCEMENT DIVISION

303 Sevenoaks Street Cannington, Western Australia 6107

Post: Locked Bag 9 East Perth WA 6892

Email: LicensingServices@police.wa.gov.au

Telephone: 1300 171 011

WESTERN AUSTRALIA
POLICE FORCE
LICENSING SERVICES

EXAMPLE ONLY

Photos



Show safe in fitted location



Show all locking points
inside safe door and the
separate lockable
ammunition container



Show all anchor points.
A minimum of two anchorage
bolts into two separate
immovable surfaces
ie floor and wall is required



Clearly show the size of the
washers by using a ruler or
scale

Things to consider when installing your safe

- The cabinet or container is to be securely anchored from the inside at 2 points on each of 2 separate surfaces to 2 immovable structural surfaces by means of 8 mm x 75 mm masonry fixing bolts or coach screws, as is appropriate.
- At each anchor point the cabinet or container is to be reinforced with a minimum of 40 mm x 40 mm x 2 mm metal plate, or a 40 mm x 2 mm metal washer, fitted between the surface of the cabinet or container and the head of the bolt or coach screw.
- The cabinet or container is to sit flush against all surfaces it is attached to with any skirting boards behind the cabinet or container removed. If skirting cannot be removed, the gap must be filled completely with a material such as a length of wood.
- If the cabinet or container is installed inside a suitable shed or sea container and the bolts protrude externally, cup-head bolts must be used through the structural beam with the nuts and washers installed inside safe.
- A separate lockable ammunition cabinet or container is required which is securely affixed so as to prevent its removal from the cabinet or container.