



# CHARGE UP



## Round 3 Approved List of Software and Hardware (EV Chargers) – Version 1.3, December 2024

This is a consolidated list comprising:

1. Approved software list
2. Approved AC charger list
3. Approved DC charger list

Refer to the interactive data list for additional data fields on each AC and DC charger (including number of ports and procurement lead time) and to view the data using excel filters.

### Disclaimer

The information contained in this list is based on information and assertions provided to the Electric Vehicle Council and Energy Policy WA by the equipment and software suppliers. The State of Western Australia is not responsible for any losses associated with the use of the information presented on this list. It is the responsibility of anyone using this list to conduct their own research and due diligence on each supplier and EV charging hardware/software prior to purchase or installation.

## 1. APPROVED SOFTWARE LIST

### Criteria

All approved EV charger software has been assessed and approved against the following criteria:

Enable the remote management of EVSE

- Be available and supported within Australia
- Be compatible with OCPP 1.6
- Have a user friendly interface
- Have a mapping interface to locate EV chargers
- Enable any member of the public to sign up
- Be available on Android and iOS operating systems
- Offer billing services that enable differential pricing (for example, different prices at different times of day)
- Be supported by evidence, from Plugshare or similar, of the software platform enabling charging at 3-4 different locations

### How to use the software list

In order to receive a grant you must take out a two year subscription to one of the EV charging software platforms on the Approved Software List. Listed below are the approved software platforms and their approved software supplier. **You must get your software platform from an approved software supplier - this means that the quote provided for software in your application should be on the letterhead of an approved software supplier.** An electrical contractor can provide turnkey services but their quote to the grant applicant must be supported by a separate quote from an approved software supplier.

The list is arranged by alphabetical order, by name of the approved software supplier. The approved supplier is listed first as this is who you need to discuss and supply the software. The approved software options vary widely in look, feel and capabilities. We encourage you to speak to the software suppliers in this list to learn more.

The final column shows the brands of approved EV chargers that each software supplier can support. However, please note that software platforms do not necessarily support all approved EV chargers from a specific brand. You must ensure that the EV charger(s) you select from the approved EV charger list can be supported by your selected software. Your software supplier will be able to assist you with this.

Software suppliers may also be able to provide pricing for some of the EV chargers on the approved EV charger list. Many offer turnkey installation services (though in some instances they will coordinate the installation process via sub-contracted electricians). However there is no requirement to purchase EV chargers and installation through them, only the software.

The pricing shown in this list has been provided by each EV charger software supplier. The Charge Up Electric Vehicle Charging Grants (Round 3) will contribute 50% towards the cost of a 2-year subscription, based on the prices shown in this list. Please note: only the 2-year upfront cost is eligible for co-funding. Any variable fees agreed to beyond this are to be met at applicant's own expense. Grants applicants should consider any terms and conditions stipulated by each software provider.

### List of approved software platforms and their approved supplier

Note: many of the suppliers can provide **turnkey services**

| Software Supplier | Software Platform | Software price (ex - GST)<br>Only the 2-year upfront cost is eligible for co-funding   | Variable costs (not covered by grant)   | Brands of EV chargers that work with the software*  |
|-------------------|-------------------|--|---|---|
| Addelec           | Chargefox         | Private charger - \$165 per annum per charge port<br>Public Charger - \$330 per annum per charge port  | Communications<br>Optional - Sim & Telstra Data - \$60.00 per plug per annum<br><br>Driver Transaction fee – 5% applied to all driver revenue | ABB, Delta Electronics, Kempower, Landis+Gyr, Ocular, Schneider Electric, Sinexcel, Smappee, Tritium, Wallbox, eLumina  |
| Addelec           | ChargeHub         | Semi Public - \$200 per annum per charge port<br>Public - \$300 per annum per charge port  | If SIM card is required on site for a data connection then approx. \$11 + GST per month each.   | ABB, Circontrol, EV Meter, EVBox, Kempower, Schneider Electric, Siemens, Sinexcel, Smappee, Tritium   |
| Addelec           | Wevolt            | Public Charging & Semi-Public charging - \$300 per annum per charger (unlimited ports)<br>Private Charging - \$180 per annum per charger (unlimited ports) | N/A   | ABB, Appcharge, Autel, Blueberry, Circontrol, Delta Electronics, EO, Evos, Fronius, Garo, Jet Charge, Kempower, Magellan, Ocular, Quench, Scame, Schneider, Sinexcel, |



|            |              |   |  |   |
|------------|--------------|---|--|---|
|            |              |   |  | Smappee, Teltonika, Tritium, Wallbox  |
| Addelec    | Everty       | Single Port - \$380 per annum per Charger<br>Dual Port - \$600 per annum per Charger                    | N/A  | ABB, Circontrol, Delta, EO Charging, Evnex, Evos, Fimer, Freewire, Fronius, Kempower, Ocular, Schneider Electric, Siemens, Sinexcel, Smappee, Starcharge, Teltonika, Tritium, Wallbox |
| Addelec    | ChargeNGo    | Private charging - \$225 per annum per charge port<br>Public charging - \$275 per annum per charge port | \$0.05 per kWh for management services.<br>4G Data Package: \$50 per 500MB When 4G data is required  | ABB, Circontrol, Delta Electronics, EVBox, Kempower, Landis+Gyr, Liteon, Ocular, Schneider Electric, Siemens, Sinexcel, Smappee, Tritium, Zappi                                       |
| Autel      | Autel Charge | Lite - \$152 per annum per charge port<br>Pro - \$306 per annum per charge port                         | Maintenance platform – \$74 ex GST per annum per charge port.<br>Advertising platform – \$295 ex GST per annum.<br>Transaction fee for mobile payment 1.75% + \$0.30 of the value of each transaction. | ABB, Schneider Electric, Starcharge   |
| CasaCharge | CasaCharge   | Monitoring - \$100 per annum per charge port<br>Billing - \$150 per annum per charge port               | N/A  | ABB, Alfen, Alpitronic, Autel, Circontrol, Delta Electronics, EVBox, KarChargers, Ocular, Schneider Electric, Smappee, Teltonika  |
| Charge Hub | Charge Hub   | Semi Public - \$200 per annum per charge port<br>Public - \$300 per annum per charge port               | If SIM card is required on site for a data connection then approx. \$11 + GST per month each.  | ABB, EVBox, Kempower, Myenergi, Orbis and Tritium, Schneider Electric, Siemens, Smappee, Wallbox, ZJ Beny   |
| Chargebay  | Chargebay    | \$200 per annum per charge port   | \$108 Annual Sim card  | ABB, Autel, Garo, Schneider Electric, Siemens, Sinexcel, Smappee, Tritium   |



|            |            |   |  |  |
|------------|------------|---|--|--|
| Chargebay  | Wevolt     | Private charging - \$180 per annum per charger (unlimited ports)<br>Public charging - \$300 per annum per charger (unlimited ports)   | N/A  | ABB, AppCharge, Autel, Circontrol, Delta Electronics, EVOS, Fronius, Garo, Hydra, iCharging, JET Charge, Kewpower, Kuga, Magellan Power, Murray, Ocular, Scame, Schneider Electric, Sinexcel, Smappee, Teltonika, Tritium, Wallbox, Zappi, ZJ Beny |
| Chargefox  | Chargefox  | Private charger - \$165 per annum per charge port<br>Public Charger - \$330 per annum per charge port   | Communications Optional - Sim & Telstra Data - \$60.00 per plug per annum<br><br>Driver Transaction fee – 5% applied to all driver revenue | ABB, Autel, Chargemate, Delta Electronics, eLumina, Ingeteam, JET Charge, Kempower, Schneider Electric, Siemens, Sinexcel, Smappee, Wallbox  |
| ChargeNGo  | ChargeNGo  | Private charging - \$225 per annum per charge port<br>Public charging - \$275 per annum per charge port   | \$0.05 per kWh for management services.4G Data Package: \$50 per 500MB When 4G data is required  | ABB, Circontrol, Delta Electronics, EVBox, Kempower, Landis + Gyr, Liteon, Ocular, Schneider Electric, SEVR, Siemens, Sinexcel, Smappee, Tritium, Webasto, Zappi   |
| Chargestar | Casacharge | Platform fee - \$100 per annum per charge port<br>Platform fee with billing - \$150 per annum per charge port<br>Platform free with SIM - \$250 per annum per charge port<br>Platform fee with billing and SIM - \$300  | No transaction fees  | ABB, Alfen, Alpitronic, Autel, Circontrol, Delta Electronics, Evbox, KarChargers, Ocular, Schneider Electric, Smappee, Teltonika   |
| Chargestar | Wevolt     | Public Charging & Semi-Public charging - \$300 per annum per charger (unlimited ports)<br>Private Charging - \$180 per annum per charger (unlimited ports)<br>Public charging with SIM – \$450 per annum per charging station (unlimited ports)<br>Private charging with SIM \$330 per annum per charging station (unlimited ports) | No transaction fees  | ABB, Ador, AppCharge, Autel, Circontrol, Delta Electronics, EVOS, Fronius, Garo, Hydra, iCharging, JET Charge, Kewpower, Magellan Power, Murray, Ocular, Schneider Electric, Scame, Sinexcel, Smappee, Teltonika, Tritium, Wallbox, ZJ Beny, Zappi |



|                |           |  |  |  |
|----------------|-----------|--|--|--|
| ChargeTech     | Chargefox | Private charger - \$165 per annum per charge port<br>Public Charger - \$330 per annum per charge port  | Communications<br>Optional - Sim & Telstra Data - \$60.00 per plug per annum<br>Driver Transaction fee – 5% applied to all driver revenue  | ABB, Autel, Chargemate, Delta Electronics, eLumina, Ingeteam, JET Charge, Kempower, Schneider Electric, Siemens, Sinexcel, Smappee, Wallbox  |
| ChargeTech     | Wevolt    | Public Charging & Semi-Public charging - \$300 per annum per charger (unlimited ports)<br>Private Charging - \$180 per annum per charger (unlimited ports) | No transaction or management fees.   | ABB, AppCharge, Autel, Circontrol, Delta Electronics, EVOS, Fronius, Garo, Hydra, iCharging, JET Charge, Kewpower, Kuga, Magellan Power, Murray, Ocular, Scame, Schneider Electric, Sinexcel, Smappee, Teltonika, Tritium, Wallbox, Zappi, ZJ Beny |
| Connect Source | Wevolt    | Public Charging & Semi-Public charging - \$300 per annum per charger (unlimited ports)<br>Private Charging - \$180 per annum per charger (unlimited ports) | No transaction or management fees.   | ABB, AppCharge, Autel, Circontrol, Delta Electronics, EVOS, Fronius, Garo, Hydra, iCharging, JET Charge, Kewpower, Kuga, Magellan Power, Murray, Ocular, Scame, Schneider Electric, Sinexcel, Smappee, Teltonika, Tritium, Wallbox, Zappi, ZJ Beny |
| Connect Source | Autel     | Lite - \$152 per annum per charge port<br>Pro - \$306 per annum per charge port  | Maintenance platform – \$74 ex GST per annum per charge port.<br>Advertising platform – \$295 ex GST per annum.<br>Transaction fee for mobile payment 1.75% + \$0.30 of the value of each transaction. | Autel  |
| Connect Source | Chargebay | \$200 per annum per charge port  | \$108 Annual Sim card  | ABB, Circontrol, Delta Electronics, Garo, Schneider Electric, Siemens  |



|                     |            |  |  |  |
|---------------------|------------|--|--|--|
| Elanga              | Elanga     | AC Single - \$268 per annum per charger<br>AC Double - \$201 per annum per charge port<br>DC Single - \$395 per annum per charger<br>DC Double - \$346 per annum per charge port               | Transaction Cost: \$1.00 (AUD); Service Fee: 10% of the transaction value.   | ABB, ADS Tec, Alfen, Alpitronic, Circontrol, Delta Electronics, EVBox, Keba, Kempower, Tritium, Vestel, WallBox  |
| Enevi               | Enevi      | AC 1: for AC user management & analytics - \$140 per annum per charger<br>AC 2: for AC user management & analytics + billing - \$220 per annum per charger<br>DC - \$480 per annum per charger | Data Sim card if required \$180 per annum.   | ABB, Delta, Schneider Electric, Siemens, Smappee, Teltonika, Tritium, Wallbox  |
| EV Charging Systems | Charge Hub | Semi Public - \$200 per annum per charge port<br>Public - \$300 per annum per charge port  | If SIM card is required on site for a data connection then approx. \$11 + GST per month each.  | EVBox, Kempower, Schneider Electric, Tritium   |
| EV Charging Systems | Wevolt     | Public Charging & Semi-Public charging - \$300 per annum per charger (unlimited ports)<br>Private Charging - \$180 per annum per charger (unlimited ports)                                     | No transaction or management fees.   | ABB, AppCharge, Autel, Circontrol, Delta Electronics, EVOS, Fronius, Garo, Hydra, iCharging, JET Charge, Kewpower, Kuga, Magellan Power, Murray, Ocular, Scame, Schneider Electric, Sinexcel, Smappee, Teltonika, Tritium, Wallbox, Zappi, ZJ Beny |
| EV Charging Systems | Chargefox  | Private charger - \$165 per annum per charge port<br>Public Charger - \$330 per annum per charge port  | Communications Optional - Sim & Telstra Data - \$60.00 per plug per annum<br><br>Driver Transaction fee – 5% applied to all driver revenue | EVBox, Kempower, Schneider Electric, Tritium   |



|      |           |  |   |  |
|------|-----------|--|---|--|
| EVCI | Chargefox | Private charger - \$165 per annum per charge port<br>Public Charger - \$330 per annum per charge port  | Communications<br>Optional - Sim & Telstra Data - \$60.00 per plug per annum<br>Driver Transaction fee – 5% applied to all driver revenue | ABB, Delta Electronics, JET Charge, Ocular, Schneider Electric, Siemens, Smappee, Wallbox  |
| EVCI | EVUp      | Single charge port per year - \$195 per annum per charge port<br>Up to five charge ports per year - \$495 per annum per site                                       | N/A   | ABB, Circontrol, EVUp, Garo, Myenergi, Schneider Electric, Wallbox   |
| EVCI | ChargeOS  | \$240 per annum per charge port  | 7% transaction fee  | AppCharge, Autel, Fronius, Kempower, Weidmuller, Zappee  |
| EVCI | ChargeNGo | \$275 per annum per charge port  | Monitoring & billing \$0.05 per kWh   | ABB, Circontrol, Delta Electronics, EVBox, Myenergi, Ocular, Schneider Electric, Siemens   |
| EVCI | WeVolt    | Public Charging & Semi-Public charging - \$300 per annum per charger (unlimited ports)<br>Private Charging - \$180 per annum per charger (unlimited ports)         | No transaction or management fees   | ABB, AppCharge, Autel, Circontrol, Delta Electronics, EVOS, Fronius, Garo, Hydra, iCharging, JET Charge, Kewpower, Kuga, Magellan Power, Murray, Ocular, Scame, Schneider Electric, Sinexcel, Smappee, Teltonika, Tritium, Wallbox, Zappi, ZJ Beny |
| EVSE | Exploren  | AC (Fleet Plan) - \$175 per annum per charge port<br>AC (Public Plan) - \$280 per annum per charge port<br>DC (Fleet or Public) - \$280 per annum per charge point | SIM card if required \$180 annually   | ABB, Alfen, Autel, Chargemate, Circontrol, Delta Electronics, Ocular, EO Charging, Etrell, EVBox, Kempower, MG Motor, Schneider Electric, Siemens, Starcharge, Wallbox   |
| EVSE | Chargefox | Private charger - \$165 per annum per charge port<br>Public Charger - \$330 per annum per charge port  | Communications<br>Optional - Sim & Telstra Data - \$60.00 per plug per annum  | ABB, Delta Electronics, Jetcharge, Kempower, Ocular, Schneider Electric, Siemens, Smappee, Wallbox   |



|                                      |           |  |   |  |
|--------------------------------------|-----------|--|---|--|
|                                      |           |  | Driver Transaction fee – 5% applied to all driver revenue   |  |
| EVUp                                 | EVUp      | \$495 per site per annum   | N/A   | ABB, Chargeamps, Circontrol, EVUp, Garo, Myenergi, Schneider Electric, Smappee, Zappi  |
| I-Charge Solutions Australia Pty Ltd | i-Charge  | Standard Package - \$120 per annum per charge port<br>Advanced Modules - \$100 per annum per charge port per module  | 1. Telecommunication cost for network connection (wireless or wired) payable to Telecom operator.<br>2. Per transaction fee of \$0.30 + 6% to Payment Gateway operator. | ABB, Alfen, Autel, EVBox, Ocular, Pilot, Schneider Electric, Siemens, Starcharge, TopDon, Wallbox  |
| JET Charge                           | Chargefox | Private charger - \$165 per annum per charge port<br>Public Charger - \$330 per annum per charge port  | Communications Optional - Sim & Telstra Data - \$60.00 per plug per annum<br>Driver Transaction fee – 5% applied to all driver revenue                                  | Autel, ChargeMate, Kempower, Schneider Electric, X280  |
| JET Charge                           | Wevolt    | Public Charging & Semi-Public charging - \$300 per annum per charger (unlimited ports)<br>Private Charging - \$180 per annum per charger (unlimited ports) | No transaction or management fees.  | ABB, Schneider, Magellan Power, Ocular, JET Charge, Autel, AppCharge, Teltonika, Delta, Circontrol, Wallbox, Smappee, Fronius, Garo, Scame, Hydra, Sinexcel, Tritium, Kewpower, Murray, Zappi, ZJ Beny, iCharging, Kuga, EVOS                      |
| JFK Group WA                         | Wevolt    | Public Charging & Semi-Public charging - \$300 per annum per charger (unlimited ports)<br>Private Charging - \$180 per annum per charger (unlimited ports) | No transaction or management fees.  | ABB, AppCharge, Autel, Circontrol, Delta Electronics, EVOS, Fronius, Garo, Hydra, iCharging, JET Charge, Kewpower, Kuga, Magellan Power, Murray, Ocular, Scame, Schneider Electric, Sinexcel, Smappee, Teltonika, Tritium, Wallbox, Zappi, ZJ Beny |





|                    |              |   |                                    |   |
|--------------------|--------------|---|------------------------------------|---|
| KarChargers        | CasaCharge   | Free charging - \$100 per annum per charge port<br>Public charging - \$150 per annum per charge port  | N/A                                | ABB, Alfen, Alpitronic, Autel, Circontrol, Delta Electronics, EVBox, KarChargers, Ocular, Schneider Electric, Smappee, Teltonika  |
| Magellan Power     | Wevolt       | Public Charging & Semi-Public charging - \$300 per annum per charger (unlimited ports)<br>Private Charging - \$180 per annum per charger (unlimited ports)  | No transaction or management fees. | ABB, AppCharge, Autel, Circontrol, Delta Electronics, EVOS, Fronius, Garo, Hydra, iCharging, JET Charge, Kewpower, Kuga, Magellan Power, Murray, Ocular, Scame, Schneider Electric, Sinexcel, Smappee, Teltonika, Tritium, Wallbox, Zappi, ZJ Beny  |
| Murray Engineering | Wevolt       | Public Charging - \$300 per annum per charger (unlimited ports)<br>Private Charging - \$180 per annum per charger (unlimited ports)   | N/A                                | ABB, AppCharge, Autel, Circontrol, Delta Electronics, EVOS., Fronius, Garo, Hydra, iCharging, JET Charge, Kewpower, Kuga, Magellan Power, Murray, Ocular, Scame, Schneider Electric, Sinexcel, Smappee, Teltonika, Tritium, Wallbox, Zappi, ZJ Beny |
| Smart EV Solutions | Smart Charge | Private - \$60 per annum per charger<br>Public Silver - \$280 per annum per charger<br>Public Gold - \$395 per annum per charger  | N/A                                | ABB, Autel, Blueberry, Circontrol, EVBox, Kempower, Ocular, Schneider Electric, SEVR, Siemens, Smappee, Tribus, Tritium   |
| Sonic Charge       | ChargeOS     | Platform fee - \$240 per annum per charge port<br>Optional: Complete Hardware & Site Management (site management, hardware maintenance, responding to hardware issues, etc.) - \$1,200 per annum per site | 7% per transaction                 | Appcharge, Autel, Fronius, Kempower, Sinexcel, Smappee, Sungrow, Weidmuller, Zappee   |
| T-Power            | T-Power      | AC - \$180 per annum per charger<br>DC (<= 60kW) - \$260 per annum per charger<br>DC (>= 80kW) - \$360 per annum per charger  | N/A                                | ABB, Beny, Delta Electronics, Schneider Electric, Sinexcel, T-Power, Wallbox  |



|        |        |   |   |  |
|--------|--------|---|---|--|
| Virta  | Virta  | AC - \$950 per annum per charger<br>DC - \$1900 per annum per charger   | Transaction fee – public 10%, private 5%<br>API fee<br>Transaction fee: public 10%, private 5%. | Alfen, Alpitronic, Delta Electronics, Kempower, Vestel   |
| Wevolt | Wevolt | Public Charging - \$300 per annum per charger (unlimited ports)<br>Private Charging - \$180 per annum per charger (unlimited ports) | No transaction or management fees.  | ABB, AppCharge, Autel, Circontrol, Delta Electronics, EVOS, Fronius, Garo, Hydra, iCharging, JET Charge, Kewpower, Kuga, Magellan Power, Murray, Ocular, Scame, Schneider Electric, Sinexcel, Smappee, Teltonika, Tritium, Wallbox, Zappi, ZJ Beny |

\* This is a point-in-time guide only and applicants should always check with their software supplier that their chosen software works with their chosen hardware:

- i) Software platforms do not necessarily support all of the approved models from that brand
- ii) The brands of approved hardware that work with the approved software will evolve over time. This means some hardware brands *not* listed against a software platform, may in fact work with one of the approved software platforms. However you should get confirmation from the software supplier that this works.

## 2. APPROVED AC CHARGER LIST

### Criteria

All approved AC chargers have been assessed and approved against the following criteria:

- Available within Australia, with a procurement lead time of no more than 3 months
- Compliant to relevant Australian standards
- Be RCM marked, in accordance with AS/NZS4417
- Able to support charging of any EV make/model available in Australia (Note, it is acceptable for the EVSE to have automotive OEM branding, provided the charger can support all vehicles)
- Type 2 socket outlet or Type 2 tethered cable
- 7kW to 22kW AC output
- OCPP 1.6 and/or OCPP 2.0 communications capability, over at least one of Ethernet, Wifi or 4G
- Ingress protection rating of IP54 or higher
- Have an impact protection rating of IK08 or higher

### EV charger and software compatibility

In order to receive a grant you must take out a two year subscription to one of the EV charging software platforms on the Approved Software List. Please ensure that you check with your software provider that your preferred make and model of EV charger is compatible with the software you have selected. Obtaining written confirmation from your software supplier is recommended.

### List of approved AC chargers

| Charger Brand | Charger Model Number | Charger description         | Power Output (kW) | Mounting Type |
|---------------|----------------------|-----------------------------|-------------------|---------------|
| ABB           | 6AGC081278           | Terra AC Wallbox            | 7kW               | Wall          |
| ABB           | 6AGC081279           | Terra AC Wall box           | 22kW              | Wall          |
| ABB           | 6AGC082153           | Terra AC callbox - RFID, 4G | 22kW              | Wall          |
| ABB           | 6AGC082155           | Terra AC Willcox - RFID     | 7kW               | Wall          |
| ABB           | 6AGC082157           | Terra AC Wallbox - RFID     | 22kW              | Wall          |
| ABB           | 6AGC082174           | Terra AC W7-T-RD-MC-0       | 7kW               | Wall          |
| ABB           | 6AGC085383           | Terra AC Wallbox - RFID, 4G | 7kW               | Wall          |
| ABB           | 6AGC085385           | Terra AC Wallbox - RFID, 4G | 7kW               | Wall          |



|           |                  |  |      |               |
|-----------|------------------|--|------|---------------|
| ABL       | 100000323        | ABL eM4 (22 kW / Twin / RCBO / Socket / Controller / Standard / Black)   | 22   | Wall/Pedestal |
| ABL       | 100000324        | ABL eM4 (22 kW / Twin / RCBO / Socket / Extender / Standard / Black)     | 22   | Wall/Pedestal |
| ABL       | 100000325        | ABL eM4 (22 kW / Twin / Socket / Controller / Standard / Black)          | 22   | Wall/Pedestal |
| ABL       | 100000326        | ABL eM4 (22 kW / Twin / Socket / Extender / Standard / Black)            | 22   | Wall/Pedestal |
| ABL       | 100000327        | ABL eM4 (22 kW / Single / Socket / Controller / Standard / Black)        | 22   | Wall/Pedestal |
| ABL       | 100000328        | ABL eM4 (22 kW / Single / Socket / Extender / Standard / Black)          | 22   | Wall/Pedestal |
| Alfen     | 904460003        | Single Pro-Line  | 7kW  | Wall          |
| Alfen     | 904460007        | Single Pro-Line  | 7kW  | Wall          |
| Alfen     | 904460023        | Single Pro-Line  | 22kW | Wall          |
| Alfen     | 904460027        | Single Pro-Line  | 22kW | Wall          |
| Alfen     | 904461022        | Double Pro-Line  | 22kW | Wall          |
| Alfen     | 904461032        | Double Pro-Line  | 7kW  | Wall          |
| Alfen     | 934452502        | Twin 2 Socket  | 22kW | Wall          |
| AppCharge | AC-FM-22-S-DUO   | 22kW AC Floor Mount Dual Port Socket                                     | 22kW | Pedestal      |
| AppCharge | AC-FM-22-T-DUO   | 22kW AC Floor Mount Dual Port Tethered                                   | 22kW | Pedestal      |
| AppCharge | AC-WB-22-S       | 22kW AC Wallbox Socket   | 22kW | Wall          |
| AppCharge | AC-WB-22-T       | 22kW AC Wallbox Tethered   | 22kW | Wall          |
| AppCharge | AC-WB-7-S        | 7kW AC Wallbox Socket  | 7kW  | Wall          |
| AppCharge | AC-WB-7-T        | 7kW AC Wallbox Tethered  | 7kW  | Wall          |
| Autel     | AC W22-C5-4G     | Maxi EU AC W22-C5-4G, tethered 5m, 22kW, 3 phase                         | 22kW | Wall/Pedestal |
| Autel     | AC W22-C5-4G-L-M | Maxi EU AC W22-C5-4G-L-M, tethered 5m, 22kW, 3 phase, LCD touch screen   | 22kW | Wall/Pedestal |
| Autel     | AC W22-S-4G      | Maxi Series EU AC 22 kW, Socket version 3 phase 4G                       | 22kW | Wall/Pedestal |
| Autel     | AC W22-S-4G-L-M  | Maxi EU AC W22-S-4G-L-M, socket version, 22kW, 3 phase, LCD touch screen | 22kW | Wall/Pedestal |



|                                    |                               |   |      |               |
|------------------------------------|-------------------------------|---|------|---------------|
| Autel                              | AC W7-C5                      | Maxi EU AC W7-C5, tethered 5m, 7.4kW, single phase          | 7kW  | Wall/Pedestal |
| Autel                              | AC W7-S-4G                    | Maxi Series EU AC 7.4 kW, Socket version<br>4G single phase | 7kW  | Wall/Pedestal |
| Autel                              | Maxi EU AC07                  | AC Compact 7kW  | 7kW  | Wall          |
| Autel                              | Maxi EU AC23                  | AC Compact 22kW   | 22kW | Wall          |
| Autel                              | Maxi EU AC W22-C5             | AC Wallbox 22kw   | 22kW | Wall          |
| Autel                              | Maxi EU AC W22-C5-L-M         | AC Wallbox 22kw w/ Touchscreen LCD                          | 22kW | Wall          |
| Autel                              | Maxi EU AC W22-S              | AC Wallbox 22kw (Socket Version)                            | 22kW | Wall          |
| Autel                              | Maxi EU AC W7-C5              | AC Wallbox 7.4kw  | 7kW  | Wall          |
| Autel                              | Maxi EU AC W7-S               | AC Wallbox 7.4kw (Socket version)                           | 7kW  | Wall          |
| Autel                              | AC Ultra Dual Socket EF44S001 | MaxiCharger AC Ultra Dual Socket EF44S001                   | 22kW | Pedestal      |
| Autel                              | Maxi EU AU22                  | EU, AC Ultra 22kW, dual CCS 2 sockets                       | 22kW | Wall          |
| Autel                              | Maxi EU AC LW7-C5             | AC Lite   | 7    | Wall          |
| Beny                               | BCPCV-CT2N-P                  | 22kW, 5m Cable, LCD, Ethernet, WIFI, 4G, Bluetooth          | 22   | Pedestal      |
| Beny                               | BCPCV-DT2N-P                  | 22kW, Socket Type, LCD, Ethernet, WIFI, 4G, Bluetooth       | 22   | Pedestal      |
| Beny                               | BCPM-AT2N-P                   | 22kW, 7m Cable, LCD, Ethernet, WIFI, 4G, RFID               | 22   | Wall          |
| Beny                               | BCPM-BT2N-P                   | 22kW, Socket Type, LCD, Ethernet, WIFI, 4G, RFID            | 22   | Wall          |
| Bosch Automotive Service Solutions | EV325                         | 7.7kw AC RFID/WiFi  | 7    | Wall/Pedestal |
| Bosch Automotive Service Solutions | EV355                         | 7.7kw AC RFID/4G  | 7    | Wall/Pedestal |
| Bosch Automotive Service Solutions | EV905                         | 22AC RFID/WiFi  | 22   | Wall/Pedestal |
| Bosch Automotive                   | EV955                         | 22AC RFID/LCD/4G  | 22   | Wall/Pedestal |



| Service Solutions |                            |   |      |               |
|-------------------|----------------------------|---|------|---------------|
| Circontrol        | Evolve Smart S (Wall)      | Evolve Smart Twin - RFID, 4G            | 7kW  | Wall          |
| Circontrol        | Evolve Smart T (Pedestal)  | Evolve Smart Twin - RFID, MiD Meter, 4G | 22kW | Pedestal      |
| Circontrol        | Evolve Smart T (Wall)      | Evolve Smart Twin - RFID, MiD Meter, 4G | 22kW | Wall          |
| Circontrol        | Model S / eNext Elite      | eNEXT Elite                             | 7kW  | Wall/Pedestal |
| Circontrol        | Model S / eNext Park       | eNEXT Park                              | 7kW  | Wall/Pedestal |
| Circontrol        | Model S One / eVolve Smart | eVolve Smart                            | 7kW  | Wall/Pedestal |
| Circontrol        | Model S Two / eNext Park   | eNEXT Park                              | 7kW  | Wall/Pedestal |
| Circontrol        | Model T / eNext Elite      | eNEXT Elite                             | 22kW | Wall/Pedestal |
| Circontrol        | Model T / eNext Park       | eNEXT Park                              | 22kW | Wall/Pedestal |
| Circontrol        | Model T One / eVolve Smart | eVolve Smart                            | 22kW | Wall/Pedestal |
| Circontrol        | WNC0003201 1               | eNEXT Elite                             | 7kW  | Wall          |
| Circontrol        | WNC0003201 3               | eNEXT Elite                             | 22kW | Wall          |
| Circontrol        | WNP0003201 1               | eNEXT Park                              | 7kW  | Wall          |
| Circontrol        | WNP0003201 3               | eNEXT Park                              | 22kW | Wall          |
| Circontrol        | WVS0006401 3               | eVolve Smart                            | 22kW | Pedestal      |
| CityEV            | City Line 100              | Cityline 100 7Kw                        | 7    | Wall/Pedestal |
| CityEV            | City Line 300              | Cityline 300 11/22Kw                    | 22   | Wall/Pedestal |
| CityEV            | City Line CDC              | Cityline 100 - CDC 7Kw                  | 7    | Wall/Pedestal |
| CityEV            | Cityline 100 IDC           | Cityline 100 7kW IDC                    | 7    | Pedestal      |
| CityEV            | Cityline 300 IDC           | Cityline 300 22kW IDC                   | 22   | Pedestal      |
| CityEV            | Cityline 100 Dual          | Cityline Dual 7kW                       | 7    | Wall/Pedestal |
| CityEV            | Cityline 300 Dual          | Cityline Dual 22kW                      | 22   | Wall/Pedestal |

|                  |                                  |  |    |               |
|------------------|----------------------------------|--|----|---------------|
| CityEV           | Cityline 300 CDC                 | Cityline 300 11/22kW Contactless                     | 22 | Wall/Pedestal |
| CityEV           | Cityline 100 Dual CDC            | Cityline Dual 7kW Contactless                        | 7  | Wall/Pedestal |
| CityEV           | Cityline 300 Dual CDC            | Cityline Dual 22kW Contactless                       | 22 | Wall/Pedestal |
| Delta            | EIAWE22KTS E5A04 (7kW)           | AC Max Smart 7-22kW w/ Cable                         | 7  | Wall/Pedestal |
| Delta            | EIAWE22KTS E5A04 (22kW)          | AC Max Smart 7-22kW w/ Cable                         | 22 | Wall/Pedestal |
| Delta            | EIAW-E22KTSS0A0 4 (7kW)          | AC Max Smart 7-22kW w/ Socket                        | 7  | Wall/Pedestal |
| Delta            | EIAW-E22KTSS0A0 4 (22kW)         | AC Max Smart 7-22kW w/ Socket                        | 22 | Wall/Pedestal |
| Diatom Australia | 7KWLEDS                          | 7kW Smart Charger - Socket Version                   | 7  | Wall/Pedestal |
| Diatom Australia | 7KWLEDT                          | 7kW Smart Charger - Tethered Version                 | 7  | Wall/Pedestal |
| Diatom Australia | 22KWLEDS                         | 22kW Smart Charger - Socket Version                  | 22 | Wall/Pedestal |
| Diatom Australia | 22KWLEDT                         | 22kW Smart Charger - Tethered Version                | 22 | Wall/Pedestal |
| Elinta           | EM-HBS-74                        | Homebox Slim Cable 7kW 1- phase                      | 7  | Wall          |
| Elinta           | EM-HBS-74-PLUS                   | Homebox Slim Cable 7kW 1- phase                      | 7  | Wall          |
| Elinta           | EM-HBS-22                        | Homebox Slim Socket 22kW 3-phase                     | 22 | Wall          |
| Elinta           | EM-HBS-22-PLUS                   | Homebox Slim Cable 22kW 3-phase                      | 22 | Wall          |
| Elinta           | EM-CC-V2-PLUS                    | Citycharge V2 Plus (cables) 2 X 22kW 3-phase (44kW)  | 22 | Pedestal      |
| Elinta           | EM-CC-V2                         | Citycharge V2 (sockets) 2 X 22kW 3-phase (44kW)      | 22 | Pedestal      |
| Enel Waybox      | WAYBOX 4.0 Start (7kW)           | Waybox 4.0 Start Single/Three Phase Socketed         | 7  | Wall          |
| Enel Waybox      | WAYBOX 4.0 Start (22kW)          | Waybox 4.0 Start Single/Three Phase Socketed         | 22 | Wall          |
| Enel Waybox      | WAYBOX 4.0 Start Tethered (7kW)  | Waybox 4.0 Start Single/Three Phase 5M Type 2        | 7  | Wall          |
| Enel Waybox      | WAYBOX 4.0 Start Tethered (22kW) | Waybox 4.0 Start Single/Three Phase 5M Type 2        | 22 | Wall          |
| EVBox            | B3321-E1801                      | BusinessLine Hub, 3 Phase, 32A, Single, 22kW, Socket | 22 | Wall/Pedestal |



|       |               |  |    |               |
|-------|---------------|--|----|---------------|
| EVBox | B1321-E5801   | BusinessLine Sat, 1 Phase, 32A, Single, 7.4kW, Socket  | 7  | Pedestal      |
| EVBox | B3321-E5801   | BusinessLine Sat, 3 Phase, 32A, Single, 22kW, Socket   | 22 | Wall/Pedestal |
| EVBox | B3322-E1801   | BusinessLine Hub, 3 Phase, 2 x 32A, Double, 22kW, Socket   | 22 | Wall/Pedestal |
| EVBox | B3322-E5801   | BusinessLine Sat, 3 Phase, 2 x 32A, Double, 22kW, Socket   | 22 | Wall/Pedestal |
| Evnex | E2-25SN       | 5m charging lead, Type 2 connector, GSM and WiFi communication, solar diversion, and dynamic load protection   | 7  | Wall/Pedestal |
| Evnex | E2 -25SA      | 5m charging lead, Type 2 connector, GSM and WiFi communication, solar diversion, and dynamic load protection   | 7  | Wall/Pedestal |
| Evnex | E2 -25ST      | 5m charging lead, Type 2 connector, GSM and WiFi communication, solar diversion, and dynamic load protection   | 7  | Wall/Pedestal |
| Evnex | E2 -25VO      | 5m charging lead, Type 2 connector, GSM and WiFi communication, solar diversion, and dynamic load protection   | 7  | Wall/Pedestal |
| Evnex | E2 -28SN      | 8m charging lead, Type 2 connector, s GSM and WiFi communication, solar diversion, and dynamic load protection | 7  | Wall/Pedestal |
| Evnex | E2 -28SA      | 8m charging lead, Type 2 connector, s GSM and WiFi communication, solar diversion, and dynamic load protection | 7  | Wall/Pedestal |
| Evnex | E2 -28ST      | 8m charging lead, Type 2 connector, s GSM and WiFi communication, solar diversion, and dynamic load protection | 7  | Wall/Pedestal |
| Evnex | E2 -28VO      | 8m charging lead, Type 2 connector, s GSM and WiFi communication, solar diversion, and dynamic load protection | 7  | Wall/Pedestal |
| Evnex | X7 -T2S -GXX  | Evnex 1 x Type 2 socket, grey enclosure  | 7  | Wall/Pedestal |
| Evnex | X7 -T2T -GXX  | Evnex 1 x 5 -meter Type 2 tethered charging cable, grey enclosure  | 7  | Wall/Pedestal |
| Evnex | X7 -T2S -WXX  | Evnex 1 x Type 2 socket, white enclosure   | 7  | Wall/Pedestal |
| Evnex | X7 -T2T -WXX  | Evnex 1 x 5 -meter Type 2 tethered charging cable, white enclosure   | 7  | Wall/Pedestal |
| Evnex | X22 -T2S -GXX | Evnex 1 x Type 2 socket, grey enclosure  | 7  | Wall/Pedestal |
| Evnex | X22-T2T-GXX   | Evnex 1 x 5-meter Type 2 tethered charging cable, grey enclosure   | 7  | Wall/Pedestal |
| Evnex | X22-T2S-WXX   | Evnex 1 x Type 2 socket, white enclosure   | 7  | Wall/Pedestal |
| Evnex | X22-T2T-WXX   | Evnex 1 x 5-meter Type 2 tethered charging cable, white enclosure  | 7  | Wall/Pedestal |



|            |                                  |   |    |          |
|------------|----------------------------------|---|----|----------|
| EVolution  | Auriga-W7                        | Auriga-W7 Single Phase 7kW Untethered Wall/Post Mount EV Charger                  | 7  | Wall     |
| EVolution  | Auriga-W22                       | Auriga-W22 Three Phase 22kW Untethered Wall/Post Mount EV Charge                  | 22 | Wall     |
| EVolution  | Auriga-PP7                       | Auriga-PP7 Single Phase 7kW Pedestal Credit Card Payment EV Charger               | 7  | Wall     |
| EVolution  | Auriga-PP22                      | Auriga-PP22 Three Phase 22kW Pedestal Credit Card Payment EV Charger              | 22 | Wall     |
| EVUp       | EVOAUR7x2P<br>POCPP              | AURIGA Dual Port 7kW c/w OCPP   | 7  | Wall     |
| EVUp       | EVOAUR22x2<br>PPOCP P            | AURIGA Dual Port 22kW c/w OCPP  | 22 | Wall     |
| Exicom     | SpinAir<br>7K230-2T32-<br>W      | SpinAir 7.4kW AC EV Charger WiFi  | 7  | Wall     |
| Exicom     | SpinAir<br>7K230-2T32-<br>W-M-R  | SpinAir 7.4W AC Charger WiFi w/Modem and RFID                                     | 7  | Wall     |
| Exicom     | SpinAir<br>22K400-2T32-<br>W     | SpinAir 22kW AC Charger WiFi  | 22 | Wall     |
| Exicom     | SpinAir<br>22K400-2T32-<br>W-M-R | SpinAir 22kW AC Charger WiFi w/Modem and RFID                                     | 22 | Wall     |
| Fronius    | Wattpilot<br>Home 22 J           | Wattpilot Home 22 J   | 22 | Wall     |
| Fronius    | Wattpilot Go<br>22 J AUS         | Wattpilot Go 22 J AUS   | 22 | Wall     |
| GARO       | LS4DCM<br>T222WO LAN             | LS4 Ground Mount 2 x 22kW T2 Socket outlets + DC Protection + meter + LAN + RFID  | 22 | Pedestal |
| GARO       | LS4DCM<br>T274WO LAN             | LS4 Ground Mount 2 x 7.4kW T2 Socket outlets + DC Protection + meter + LAN + RFID | 7  | Pedestal |
| Growatt    | THOR 7AS-<br>S/P-V1              | Smart EV charger can be used in various scenarios                                 | 7  | Wall     |
| Growatt    | THOR 22AS-<br>S/P-V1             | Smart EV charger can be used in various scenarios                                 | 22 | Wall     |
| HeyCharge  | HW18-<br>0021M07B003             | 7kW (32A, 1-phase) electric vehicle wallbox with type 2 socket and MID meter      | 7  | Wall     |
| HeyCharge  | HW18-<br>0013PM22B0<br>04        | 22kW AC (32A, 3-phase) LCD display, certified MID meter, socket                   | 22 | Wall     |
| JET Charge | CHM3P22kW<br>001 (7k W)          | Chargemate 7/22kW (1-ph/3- ph)  | 7  | Wall     |
| JET Charge | CHM3P22kW<br>001 (22k W)         | Chargemate 7/22kW (1-ph/3- ph)  | 22 | Wall     |
| JET Charge | CHM3P22kW<br>002                 | Chargemate 7kW NMI (1- ph)  | 7  | Wall     |

|             |                             |  |    |               |
|-------------|-----------------------------|--|----|---------------|
| JET Charge  | CHM3P22kW 003               | Chargemate 22kW NMI (3- ph)  | 22 | Wall          |
| JET Charge  | CHM3P22kW 001-4G (7kW)      | Chargemate 7/22kW with 4G  | 7  | Wall          |
| JET Charge  | CHM3P22kW 001-4G (22kW)     | Chargemate 7/22kW with 4G  | 22 | Wall          |
| JET Charge  | CHM3P22kW 002-4G            | ChargeMate 7kW NMI with 4G   | 7  | Wall          |
| JET Charge  | CHM3P22kW 003-4G            | ChargeMate 22kW NMI with 4G  | 22 | Wall          |
| Joint Tech  | X2, PN:SV-EVX2-22LW-3P-5M   | AC EV Charger 3 Phase Tethered   | 22 | Wall          |
| KarChargers | Wallbox_fleet_socket        | 22kW - Wallbox - Socket  | 22 | Wall          |
| KarChargers | Wallbox_fleet_cable         | 22kW - Wallbox - Cable   | 22 | Wall          |
| KarChargers | Wallbox_Professional_Socket | 22kW - Wallbox - Socket - Sim  | 22 | Wall          |
| KarChargers | Wallbox_Professional_Cable  | 22kW - Wallbox - Cable - Sim   | 22 | Wall          |
| KarChargers | Tower_Pro_DualSocket        | 22kW - Tower - Socket - Sim  | 22 | Wall          |
| Landis+Gyr  | G-PC1Z7EY10                 | INCH Pro with LCD, 7.4kW or 22kW, socket, MCB OC+dl DC, RFID, Ethernet         | 7  | Wall/Pedestal |
| Landis+Gyr  | G-PC1Z7EY10                 | INCH Pro with LCD, 7.4kW or 22kW, socket, MCB OC+dl DC, RFID, Ethernet         | 22 | Wall/Pedestal |
| Landis+Gyr  | G-PC1Z7EY20                 | INCH Pro with LCD, 7.4kW or 22kW, socket, MCB OC+dl DC, RFID, WiFi, Ethernet   | 7  | Wall/Pedestal |
| Landis+Gyr  | G-PC1Z7EY20                 | INCH Pro with LCD, 7.4kW or 22kW, socket, MCB OC+dl DC, RFID, WiFi, Ethernet   | 22 | Wall/Pedestal |
| Landis+Gyr  | G-PC1Z7EYA0                 | INCH Pro with LCD, 7.4kW or 22kW, socket, MCB OC+dl DC, RFID, LTE, Ethernet    | 7  | Wall/Pedestal |
| Landis+Gyr  | G-PC1Z7EYA0                 | INCH Pro with LCD, 7.4kW or 22kW, socket, MCB OC+dl DC, RFID, LTE, Ethernet    | 22 | Wall/Pedestal |
| Landis+Gyr  | G-PC1V7EY10                 | INCH Pro with LCD, 7.4kW or 22kW, 5m cable, MCB OC+dl DC, RFID, Ethernet       | 7  | Wall/Pedestal |
| Landis+Gyr  | G-PC1V7EY10                 | INCH Pro with LCD, 7.4kW or 22kW, 5m cable, MCB OC+dl DC, RFID, Ethernet       | 22 | Wall/Pedestal |
| Landis+Gyr  | G-PC1V7EY20                 | INCH Pro with LCD, 7.4kW or 22kW, 5m cable, MCB OC+dl DC, RFID, WiFi, Ethernet | 7  | Wall/Pedestal |

|            |             |   |    |               |
|------------|-------------|---|----|---------------|
| Landis+Gyr | G-PC1V7EY20 | INCH Pro with LCD, 7.4kW or 22kW, 5m cable, MCB OC+dl DC, RFID, WiFi, Ethernet      | 22 | Wall/Pedestal |
| Landis+Gyr | G-PC1V7EYA0 | INCH Pro with LCD, 7.4kW or 22kW, 5m cable, MCB OC+dl DC, RFID, LTE, Ethernet       | 7  | Wall/Pedestal |
| Landis+Gyr | G-PC1V7EYA0 | INCH Pro with LCD, 7.4kW or 22kW, 5m cable, MCB OC+dl DC, RFID, LTE, Ethernet       | 22 | Wall/Pedestal |
| Landis+Gyr | G-PC1Z5EY10 | INCH Pro with LCD, 7.4kW or 22kW, socket, RCD+dl DC, RFID, Ethernet                 | 7  | Wall/Pedestal |
| Landis+Gyr | G-PC1Z5EY10 | INCH Pro with LCD, 7.4kW or 22kW, socket, RCD+dl DC, RFID, Ethernet                 | 22 | Wall/Pedestal |
| Landis+Gyr | G-PC1Z5EY20 | INCH Pro with LCD, 7.4kW or 22kW, socket, RCD+dl DC, RFID, WiFi, Ethernet           | 7  | Wall/Pedestal |
| Landis+Gyr | G-PC1Z5EY20 | INCH Pro with LCD, 7.4kW or 22kW, socket, RCD+dl DC, RFID, WiFi, Ethernet           | 22 | Wall/Pedestal |
| Landis+Gyr | G-PC1Z5EYA0 | INCH Pro with LCD, 7.4kW or 22kW, socket, RCD+dl DC, RFID, LTE, Ethernet            | 77 | Wall/Pedestal |
| Landis+Gyr | G-PC1Z5EYA0 | INCH Pro with LCD, 7.4kW or 22kW, socket, RCD+dl DC, RFID, LTE, Ethernet            | 22 | Wall/Pedestal |
| Landis+Gyr | G-PC1V5EY10 | INCH Pro with LCD, 7.4kW or 22kW, 5m cable, RCD+dl DC, RFID, Ethernet               | 7  | Wall/Pedestal |
| Landis+Gyr | G-PC1V5EY10 | INCH Pro with LCD, 7.4kW or 22kW, 5m cable, RCD+dl DC, RFID, Ethernet               | 22 | Wall/Pedestal |
| Landis+Gyr | G-PC1V5EY20 | INCH Pro with LCD, 7.4kW or 22kW, 5m cable, RCD+dl DC, RFID, WiFi, Ethernet         | 7  | Wall/Pedestal |
| Landis+Gyr | G-PC1V5EY20 | INCH Pro with LCD, 7.4kW or 22kW, 5m cable, RCD+dl DC, RFID, WiFi, Ethernet         | 22 | Wall/Pedestal |
| Landis+Gyr | G-PC1V5EYA0 | INCH Pro with LCD, 7.4kW or 22kW, 5m cable, RCD+dl DC, RFID, LTE, Ethernet          | 7  | Wall/Pedestal |
| Landis+Gyr | G-PC1V5EYA0 | INCH Pro with LCD, 7.4kW or 22kW, 5m cable, RCD+dl DC, RFID, LTE, Ethernet          | 22 | Wall/Pedestal |
| Landis+Gyr | G-PC1ZBFY10 | INCH Pro with LCD, 7.4kW or 22kW, socket, MID+dl DC, MID door, RFID, Ethernet       | 7  | Wall/Pedestal |
| Landis+Gyr | G-PC1ZBFY10 | INCH Pro with LCD, 7.4kW or 22kW, socket, MID+dl DC, MID door, RFID, Ethernet       | 22 | Wall/Pedestal |
| Landis+Gyr | G-PC1ZBFY20 | INCH Pro with LCD, 7.4kW or 22kW, socket, MID+dl DC, MID door, RFID, WiFi, Ethernet | 7  | Wall/Pedestal |
| Landis+Gyr | G-PC1ZBFY20 | INCH Pro with LCD, 7.4kW or 22kW, socket, MID+dl DC, MID door, RFID, WiFi, Ethernet | 22 | Wall/Pedestal |
| Landis+Gyr | G-PC1ZBFYA0 | INCH Pro with LCD, 7.4kW or 22kW, socket, MID+dl DC, MID door, RFID, LTE, Ethernet  | 7  | Wall/Pedestal |



|                                 |                     |  |    |               |
|---------------------------------|---------------------|--|----|---------------|
| Landis+Gyr                      | G-PC1ZBFYA0         | INCH Pro with LCD, 7.4kW or 22kW, socket, MID+dl DC, MID door, RFID, LTE, Ethernet   | 22 | Wall/Pedestal |
| Landis+Gyr                      | G-PC1VBFY10         | INCH Pro with LCD, 7.4kW or 22kW, 5m cable, MID+dl DC, MID door, RFID, Ethernet  | 7  | Wall/Pedestal |
| Landis+Gyr                      | G-PC1VBFY10         | INCH Pro with LCD, 7.4kW or 22kW, 5m cable, MID+dl DC, MID door, RFID, Ethernet  | 22 | Wall/Pedestal |
| Landis+Gyr                      | G-PC1VBFY20         | INCH Pro with LCD, 7.4kW or 22kW, 5m cable, MID+dl DC, MID door, RFID, WiFi, Ethernet  | 7  | Wall/Pedestal |
| Landis+Gyr                      | G-PC1VBFY20         | INCH Pro with LCD, 7.4kW or 22kW, 5m cable, MID+dl DC, MID door, RFID, WiFi, Ethernet  | 22 | Wall/Pedestal |
| Landis+Gyr                      | G-PC1VBFYA0         | INCH Pro with LCD, 7.4kW or 22kW, 5m cable, MID+dl DC, MID door, RFID, LTE, Ethernet   | 7  | Wall/Pedestal |
| Landis+Gyr                      | G-PC1VBFYA0         | INCH Pro with LCD, 7.4kW or 22kW, 5m cable, MID+dl DC, MID door, RFID, LTE, Ethernet   | 22 | Wall/Pedestal |
| Landis+Gyr                      | G-DC3ZFBY10         | INCH Duo with LCD, 22kW, RFID, MID meters, dl DC fault current detection, RCDA, 2x Type 2 socket+locking, Ethernet   | 22 | Pedestal      |
| Landis+Gyr                      | G-DC3ZFBYA0         | INCH Duo with LCD, 22kW, RFID, MID meters, dl DC fault current detection, RCDA, 2x Type 2 socket+locking, Ethernet + LTE modem   | 22 | Pedestal      |
| Landis+Gyr                      | G-DC3ZFBY10-C00     | INCH Duo with LCD, 22kW, RFID, MID meters, dl DC fault current detection, RCDA, 2x Type 2 socket+locking, Ethernet + LTE router Teltonika RUT240                         | 22 | Pedestal      |
| Landis+Gyr                      | G-DC3ZFBY10-C09     | INCH Duo with LCD, 22kW, RFID, MID meters, dl DC fault current detection, RCDA, 2x Type 2 socket+locking, Ethernet + LTE router Teltonika RUT240 + 5-port network switch | 22 | Pedestal      |
| LITEON Technology               | Intelligent         | Intelligent Type 2, 1 Phase, 7.6kW, OCPP 1.6, RFID, LTE, MID Meter, RCD, Type A, 5M Cable  | 7  | Wall          |
| LITEON Technology               | Intelligent         | Intelligent Type 2, 3 Phase, 22kW, OCPP 1.6, RFID, LTE, MID Meter, RCD, Type A, 5M Cable   | 22 | Wall          |
| Magellan                        | EV Charger 7KW 1PH  | Magellan Power 7kW 1PH AC EV Charger   | 7  | Wall/Pedestal |
| Magellan                        | EV Charger 22KW 3PH | Magellan Power 22kW 3PH AC EV Charger  | 22 | Wall/Pedestal |
| Micro-Star International Co Ltd | MS-XP01LP-T         | MSI EV Life Plus 7kW, RFID, WiFi, (LTE)  | 7  | Wall/Pedestal |



|                                 |                         |   |    |               |
|---------------------------------|-------------------------|---|----|---------------|
| Micro-Star International Co Ltd | MS-XP01LP-T-Solar       | MSI EV Life Plus 7kW, RFID, WiFi, (LTE) & CT Clamp                                | 7  | Wall/Pedestal |
| Micro-Star International Co Ltd | MS-XP01P-T              | MSI EV Premium 7kW, RFID, WiFi, (LTE), LCD display                                | 7  | Wall/Pedestal |
| Micro-Star International Co Ltd | MS-XP01P-T-Solar        | MSI EV Premium 7kW, RFID, WiFi, (LTE), LCD display & CT Clamp                     | 7  | Wall/Pedestal |
| Micro-Star International Co Ltd | MS-C801LM-T-Solar       | MSI Eco Life Max 22kW, BT, RFID, WiFi, (LTE) & CT Clamp                           | 22 | Wall/Pedestal |
| Micro-Star International Co Ltd | MS-C801LM-UT-Solar      | MSI Eco Life Max 22kW, BT, RFID, WiFi, (LTE) & CT Clamp, Socketed                 | 22 | Wall/Pedestal |
| Micro-Star International Co Ltd | MS-C801PM-T-Solar       | MSI Eco Premium Max 22kW, BT, RFID, WiFi, (LTE) & CT Clamp, LCD display           | 22 | Wall/Pedestal |
| Micro-Star International Co Ltd | MS-C801PM-UT-Solar      | MSI Eco Premium Max 22kW, BT, RFID, WiFi, (LTE) & CT Clamp, LCD display, Socketed | 22 | Wall/Pedestal |
| Micro-Star International Co Ltd | MS-C802L-T-Solar        | MSI Eco Life 7kW, BT, RFID, WiFi, (LTE) & CT Clamp                                | 7  | Wall/Pedestal |
| Micro-Star International Co Ltd | MS-C802P-T-Solar        | MSI Eco Premium 7kW, BT, RFID, WiFi, (LTE) & CT Clamp, LCD display                | 7  | Wall/Pedestal |
| Murray EVC                      | MEVC-AC-BP-07-1SHMI     | RechargeME Charging Station AC 7 BP Bollard                                       | 7  | Wall/Pedestal |
| Murray EVC                      | MEVC-AC-BP-14-2SHMI     | RechargeME Charging Station AC 14 BP Bollard Dual                                 | 7  | Wall          |
| Murray EVC                      | MEVC-AC-BP-22-1SHMI     | RechargeME Charging Station AC 22 BP Bollard                                      | 22 | Wall          |
| Murray EVC                      | MEVC-AC-BP-44-2SHMI     | RechargeME Charging Station AC 44 BP Bollard Dual                                 | 22 | Wall          |
| Murray EVC                      | MEVC-AC-WB-07- 1S/C-HMI | RechargeME Charging Station AC 7 WB Wallbox                                       | 7  | Wall          |
| Murray EVC                      | MEVC-AC-WB-14- 2S/C-HMI | RechargeME Charging Station AC 14 WB Wallbox Dual                                 | 7  | Wall          |
| Murray EVC                      | MEVC-AC-WB-22- 1S/C-HMI | RechargeME Charging Station AC 22 WB Wallbox                                      | 22 | Wall          |
| Murray EVC                      | MEVC-AC-WB-44- 2S/C-HMI | RechargeME Charging Station AC 44 WB Wallbox Dual                                 | 22 | Wall          |
| Myenergi                        | ZAPPI-2H07TB            | 7kW Tethered Black  | 7  | Wall          |
| Myenergi                        | ZAPPI-2H07TW            | 7kW Tethered White  | 7  | Wall          |



|                           |                               |  |    |               |
|---------------------------|-------------------------------|--|----|---------------|
| Myenergi                  | ZAPPI-2H07UB                  | 7kW Untethered Black   | 7  | Wall          |
| Myenergi                  | ZAPPI-2H07UW                  | 7kW Untethered White   | 7  | Wall          |
| Myenergi                  | ZAPPI-2H22TB                  | 22kW Tethered Black  | 22 | Wall          |
| Myenergi                  | ZAPPI-2H22TW                  | 22kW Tethered White  | 22 | Wall          |
| Myenergi                  | ZAPPI-2H22UB                  | 22kW Untethered White  | 22 | Wall          |
| Myenergi                  | ZAPPI-2H22UW                  | 22kW Untethered White  | 22 | Wall          |
| Nayax                     | EV Meter Pay2 EVMBS004G EUY10 | Dual 7-22Kw AC Charger with Credit Card Payment Terminal   | 22 | Wall          |
| Nayax                     | EVMBC004G EUY10               | 22 Kw Cable and Plug complete with contactless payment terminal Debit & Credit Cards Mobile & NFC Payments       | 22 | Wall          |
| Nayax                     | EVMBS004G EUY01               | 22 Kw Single Socket complete with contactless payment terminal Debit & Credit Cards                              | 22 | Wall          |
| Ningo Yourlite Imp. & Exp | X3, PN:SV-EVX3-7-WE-T-5B      | AC EV Charger 1 Phase tethered   | 7  | Wall          |
| Ningo Yourlite Imp. & Exp | X4, PN:SV-EVX4-22-WE-T-5B     | AC EV Charger 3 Phase tethered   | 22 | Wall          |
| Ningo Yourlite Imp. & Exp | X4, PN:SV-EVX4-22-WE-UT-B     | AC EV Charger 3 Phase untethered   | 22 | Wall          |
| Ningo Yourlite Imp. & Exp | X3, PN:SV-EVX3-7-WE-UT-B      | AC EV Charger 1 Phase untethered   | 7  | Wall          |
| Noodoe                    | A7                            | A7 7.6 kW AC charging station Ethernet/Wi -Fi, RFID reader, 5 metre cable, 2 -year parts only warranty           | 7  | Wall          |
| Noodoe                    | A7i                           | A7i 7.6 kW AC charging station Ethernet/4G, RFID reader, 5 metre cable, 2 -year parts only warranty              | 7  | Wall          |
| Noodoe                    | AC7P                          | AC7P Premium 7.6 kW AC charging station Ethernet/Wi -Fi, RFID reader, 5 metre cable, 2 -year parts only warranty | 7  | Wall          |
| Noodoe                    | A22                           | A22 22 kW AC charging station Ethernet/Wi -Fi, RFID reader, 5 metre cable, 2 -year parts only warranty           | 22 | Wall          |
| Noodoe                    | A22i                          | A22i 22 kW AC charging station Ethernet/4G, RFID reader, 5 metre cable, 2 -year parts only warranty              | 22 | Wall          |
| Ocular Charging           | IOCAW12-7S                    | Ocular IQ Commercial Single Phase 7kW Universal  | 7  | Wall/Pedestal |



|                 |                      |   |    |               |
|-----------------|----------------------|---|----|---------------|
| Ocular Charging | IOCAW12-22S          | Ocular IQ Commercial Three Phase 22kW Universal                             | 22 | Wall/Pedestal |
| Ocular Charging | IOCAW05C-7T          | Ocular IQ Commercial Single Phase 7kW with Type 2 Lead                      | 7  | Wall/Pedestal |
| Ocular Charging | IOCAW05C-22T         | Ocular IQ Commercial Three Phase 22kW with Type 2 Lead                      | 22 | Wall/Pedestal |
| Ocular Charging | IOCAW05C-7S 4G       | Ocular IQ Commercial Single Phase 7kW Universal with 4G                     | 7  | Wall/Pedestal |
| Ocular Charging | IOCAW05C-22S 4G      | Ocular IQ Commercial Three Phase 22kW Universal with 4G                     | 22 | Wall/Pedestal |
| Ocular Charging | IOCAW05C-7T 4G       | Ocular IQ Commercial Single Phase 7kW with Type 2 Lead with 4G              | 7  | Wall/Pedestal |
| Ocular Charging | IOCAW05C-22T 4G      | Ocular IQ Commercial Three Phase 22kW with Type 2 Lead with 4G              | 22 | Wall/Pedestal |
| Ocular Charging | IOCAP06C-7 4G        | Ocular Tower Dual Single Phase 7kW 4G - Universal                           | 7  | Pedestal      |
| Ocular Charging | IOCAP26-22S          | Ocular Tower Dual Three Phase 22kW 4G - Universal                           | 22 | Pedestal      |
| Ocular Charging | IOCAP06C-22T 4G      | Ocular Tower Dual Three Phase 22kW 4G - w/5m Cables                         | 22 | Pedestal      |
| Ocular Charging | IOCAP06C-7T 4G       | Ocular Tower Dual Single Phase 7kW 4G - w/5m Cables                         | 7  | Pedestal      |
| Ocular Charging | IOCAH13-22S          | Ocular IQ Wallbox Three Phase 22kW Universal                                | 22 | Wall/Pedestal |
| Ocular Charging | IOCAH13-22T          | Ocular IQ Wallbox Three Phase 22kW with Type 2 Lead                         | 22 | Wall/Pedestal |
| Ocular Charging | IOCAH13-7S           | Ocular IQ Wallbox Single Phase 7kW Universal                                | 7  | Wall/Pedestal |
| Ocular Charging | IOCAH13-7T           | Ocular IQ Wallbox Single Phase 7kW with Type 2 Lead                         | 7  | Wall/Pedestal |
| Ocular Charging | IOCAH30-22T          | Ocular IQ Home Three Phase 22kW with Type 2 Lead & CT Clamps                | 22 | Wall/Pedestal |
| Ocular Charging | IOCAH30-7TE-RW       | Ocular IQ Home Single Phase 7kW with Type 2 Lead & CT Clamp                 | 7  | Wall/Pedestal |
| Ocular Charging | IOCAP06C-22S 4G-CC   | Ocular Tower Dual Three Phase 22kW 4G -Universal With Credit Card Module    | 22 | Pedestal      |
| Ocular Charging | IOCAP06C-22T 4G-CC   | Ocular Tower Dual Three Phase 22kW 4G - w/5m Cables With Credit Card Module | 22 | Pedestal      |
| Ohme            | EP0-07AU-WI-BLSTD-01 | Ohme ePod 7kW Smart Charger   | 7  | Wall          |
| Orbis           | OB94U220             | Viaris Uni 230V SP 7.4kW 5m cable T2  | 7  | Wall          |
| Orbis           | OB94U2A0             | Viaris Uni 230V SP 7.4kW 10m cable T2                                       | 7  | Wall          |
| Orbis           | OB94U2C0             | Viaris Uni 230V SP 7.4kW Outlet T2 Shutter                                  | 7  | Wall          |



|       |              |   |    |          |
|-------|--------------|---|----|----------|
| Orbis | OB94U720     | Viaris Uni 400V TP 22kW 5m cable T2   | 22 | Wall     |
| Orbis | OB94U7A0     | Viaris Uni 400V TP 22kW 10m cable T2  | 22 | Wall     |
| Orbis | OB94U7C0     | Viaris Uni 400V TP 22kW Outlet T2 Shutter   | 22 | Wall     |
| Orbis | OB94P220     | Viaris Combi + 230V 7.4kW 5m cable with connector Type 2  | 7  | Wall     |
| Orbis | OB94P222     | Viaris Combi + 230V 7.4kW + 7.4kW 5m cable with connector Type 2 + 5m cable with connector Type 2   | 7  | Wall     |
| Orbis | OB94P22C     | Viaris Combi + 230V 7.4kW + 7.4kW 5m cable with connector Type 2 + Outlet Type 2 with shutter       | 7  | Wall     |
| Orbis | OB94P2A0     | Viaris Combi + 230V 7.4kW 10m cable with connector Type 2   | 7  | Wall     |
| Orbis | OB94P2AA     | Viaris Combi + 230V 7.4kW + 7.4kW 10m cable with connector Type 2 + 10m cable with connector Type 2 | 7  | Wall     |
| Orbis | OB94P2B.C.   | Viaris Combi + 230V 7.4kW + 7.4kW 10m cable with connector Type 2 + Outlet Type 2 with shutter      | 7  | Wall     |
| Orbis | OB94P2C0     | Viaris Combi + 230V 7.4kW Outlet Type 2 with shutter  | 7  | Wall     |
| Orbis | OB94P2CC     | Viaris Combi + 230V 7.4kW + 7.4kW Outlet Type 2 with shutter + Outlet Type 2 with shutter           | 7  | Wall     |
| Orbis | OB94P720     | Viaris Combi + 400V 22kW 5m cable with connector Type 2   | 22 | Wall     |
| Orbis | OB94P722     | Viaris Combi + 400V 22kW + 22kW 5m cable with connector Type  | 22 | Wall     |
| Orbis | OB94P72C     | Viaris Combi + 400V 22kW + 22kW 5m cable with connector Type 2 + Outlet Type 2 with shutter         | 22 | Wall     |
| Orbis | OB94P7A0     | Viaris Combi + 400V 22kW 10m cable with connector Type 2  | 22 | Wall     |
| Orbis | OB94P7AA     | Viaris Combi + 400V 22kW + 22kW 10m cable with connector Type 2 + 10m cable with connector Type 2   | 22 | Wall     |
| Orbis | OB94P7AC     | Viaris Combi + 400V 22kW + 22kW 10m cable with connector Type 2 + Outlet Type 2 with shutter        | 22 | Wall     |
| Orbis | OB94P7C0     | Viaris Combi + 400V 22kW Outlet Type 2 with shutter   | 22 | Wall     |
| Orbis | OB94P7CC     | Viaris Combi + 400V 22kW + 22kW Outlet Type 2 with shutter + Outlet Type 2 with shutter             | 22 | Wall     |
| Orbis | OB94C7CCK A2 | Twin 22kw Type 2 outlet floor standing commercial charger   | 22 | Pedestal |





|                   |                 |   |    |      |
|-------------------|-----------------|---|----|------|
| Pioneer IoT       | AC7             | Pioneer AC 7kw EV Charger, 1x Type 2 Plug or Socket, Touch screen, RFID WIFI+Ethernet+4G,Wall Mount Kit                                   | 7  | Wall |
| Pioneer IoT       | AC22            | Pioneer AC 22kw EV Charger, 1x Type 2 Plug or Socket, Touch screen, RFID WIFI+Ethernet+4G,Wall Mount Kit                                  | 22 | Wall |
| Pioneer IoT       | AC2x22          | Pioneer AC 2x 22kw Small EV Charger, 2x Type 2 Plug or Socket, Touch screen, RFID WIFI+Ethernet+4G  | 22 | Wall |
| Pioneer IoT       | PTS-EVC7-002C   | EV AC 7kW Charger Charging Plug: Type 2 Rated Power: 7kW  | 7  | Wall |
| Pioneer IoT       | PTS-EVC22-002C  | EV AC 22kw Charger Charging Plug: Type 2 Rated Power: 22kW Touch screen Commercial Use; RFID WIFI+Ethernet+4G, Type B RCD, Wall Mount Kit | 22 | Wall |
| Plusrite          | EV7.4KW/DL B/T2 | 7.4kW AC/Charger wall mounted, 1 phase, WIFI, Bluetooth, Dynamic Load Balancing Box   | 7  | Wall |
| Plusrite          | EV22KW/DLB /T2  | 22kW AC/Charger wall mounted, 3 phase, WIFI, Bluetooth, Dynamic Load Balancing Box  | 22 | Wall |
| Scame Parre S.p.A | 205.W74-S       | WALLBOX BE-W2 T2 5M 7KW LCD MID ETH   | 22 | Wall |
| Scame Parre S.p.A | 205.W74-S0      | WALL BOX BE-W NET TETHERED (4M) T2 7.4kW, MID, RFID   | 7  | Wall |
| Scame Parre S.p.A | 205.W85-D       | WALLBOX BE-W2 T2 22kW LCD MID RUT 4G  | 7  | Wall |
| Scame Parre S.p.A | 205.W85-S       | WALLBOX BE-W2 T2 5M 7kW LCD MID RUT 4G  | 22 | Wall |
| Scame Parre S.p.A | 205.W85-S0      | WALL BOX BE-W NET TETHERED (4M) T2 7.4kW, MID, RFID, 4G/WIFI  | 7  | Wall |
| Scame Parre S.p.A | 205.W78-S0      | WALL BOX BE-W NET TETHERED (4M) T2 7.4kW, MID, RFID, PM   | 7  | Wall |
| Scame Parre S.p.A | 205.W86-S0      | WALL BOX BE-W NET TETHERED (4M) T2 7.4kW, MID, RFID, 4G WIFI, PM  | 7  | Wall |
| Scame Parre S.p.A | 205.W74-U       | WALLBOX BE-W2 T2 5M 22kW LCD MID ETH  | 22 | Wall |
| Scame Parre S.p.A | 205.W74-U0      | WALL BOX BE-W NET TETHERED (4M) T2 22kW, MID, RFID  | 22 | Wall |
| Scame Parre S.p.A | 205.W85-U       | WALLBOX BE-W2 T2 5M 22kW LCD MID RUT 4G   | 22 | Wall |
| Scame Parre S.p.A | 205.W85-U0      | WALL BOX BE-W NET TETHERED (4M) T2 22kW, MID, RFID, 4G/WIFI   | 22 | Wall |
| Scame Parre S.p.A | 205.W78-U0      | WALL BOX BE-W NET TETHERED (4M) T2 22kW, MID, RFID, PM  | 22 | Wall |
| Scame Parre S.p.A | 205.W86-U0      | WALL BOX BE-W NET TETHERED (4M) T2 22kW, MID, RFID, 4G/WIFI, PM   | 22 | Wall |

|                   |                  |  |    |      |
|-------------------|------------------|--|----|------|
| Scame Parre S.p.A | 205.W74-U08      | WALL BOX BE-W NET TETHERED (7.5M) T2 22kW, MID, RFID           | 22 | Wall |
| Scame Parre S.p.A | 205.W74-B        | WALLBOX BE-W2 T2 7kW LCD MID ETH                               | 7  | Wall |
| Scame Parre S.p.A | 205.W74-B0       | WALL BOX BE-W NET SOCKET T2 7.4kW, MID, RFID                   | 7  | Wall |
| Scame Parre S.p.A | 205.W85-B        | WALLBOX BE-W2 T2 7kW LCD MID RUT 4G                            | 7  | Wall |
| Scame Parre S.p.A | 205.W85-B0       | WALL BOX BE-W NET SOCKET T2 7.4kW, MID, RFID, 4G WIFI          | 7  | Wall |
| Scame Parre S.p.A | 205.W78-B0       | WALL BOX BE-W NET SOCKET T2 7.4kW, MID, RFID, PM               | 7  | Wall |
| Scame Parre S.p.A | 205.W74-D        | WALLBOX BE-W2 T2 22kW LCD MID ETH                              | 7  | Wall |
| Scame Parre S.p.A | 205.W74-D0       | WALL BOX BE-W NET SOCKET T2 22kW, MID, RFID                    | 22 | Wall |
| Scame Parre S.p.A | 205.W78-D0       | WALL BOX BE-W NET SOCKET T2 22kW, MID, RFID, PM                | 22 | Wall |
| Scame Parre S.p.A | 205.W86-D0       | WALL BOX BE-W NET SOCKET T2 22kW, MID, RFID, 4G WIFI, PM       | 22 | Wall |
| Scame Parre S.p.A | 205.A52-BB       | PILLAR BE-A 2 SOCKETS T2 7.4kW, RCBO, MID, RFID                | 7  | Wall |
| Scame Parre S.p.A | 205.A62-BB       | PILLAR BE-A 2 SOCKETS T2 7.4kW, RCBO, MID, RFID, 4G/WIF        | 7  | Wall |
| Scame Parre S.p.A | 205.A62-BB       | PILLAR BE-A 2 SOCKETS T2 22kW, RCBO, MID, RFID                 | 22 | Wall |
| Scame Parre S.p.A | 205.A62-DD       | PILLAR BE-A 2 SOCKETS T2 22kW, RCBO, MID, RFID, 4G/WIF         | 22 | Wall |
| Scame Parre S.p.A | 205.B52-BB       | PILLAR BE-B 2 SOCKETS T2 7.4kW, RCBO, MID, RFID                | 7  | Wall |
| Scame Parre S.p.A | 205.B62-BB       | PILLAR BE-B 2 SOCKETS T2 7.4kW, RCBO, MID, RFID, 4G/WIFI       | 7  | Wall |
| Scame Parre S.p.A | 205.B52-DD       | PILLAR BE-B 2 SOCKETS T2 22kW, RCBO, MID, RFID                 | 22 | Wall |
| Scame Parre S.p.A | 205.B62-DD       | PILLAR BE-B 2 SOCKETS T2 22kW, RCBO, MID, RFID, 4G/WIFI        | 22 | Wall |
| Scame Parre S.p.A | 205.B52-SS       | PILLAR BE-B 2 TETHERED (4M) T2 7.4kW, RCBO, MID, RFID          | 7  | Wall |
| Scame Parre S.p.A | 205.B62-SS       | PILLAR BE-B 2 TETHERED (4M) T2 7.4kW, RCBO, MID, RFID, 4G/WIFI | 7  | Wall |
| Scame Parre S.p.A | 205.B52-UU       | PILLAR BE-B 2 TETHERED (4M) T2 22kW, RCBO, MID, RFID           | 22 | Wall |
| Scame Parre S.p.A | 205.B62-UU       | PILLAR BE-B 2 TETHERED (4M) T2 22kW, RCBO, MID, RFID, 4G/WIFI  | 22 | Wall |
| Scame Parre S.p.A | 204.CA23B-T2T2MA | PILLAR CA 2 SOCKETS T2 22kW, RCBO, MID, RFID                   | 22 | Wall |



|  |                          |  |    |               |
|--|--------------------------|--|----|---------------|
| Scame Parre S.p.A                              | 204.CA23B-T2T2ME         | PILLAR CA 2 SOCKETS T2 22kW, RCBO, MID, RFID, 4G/WIFI        | 22 | Wall          |
| Schneider Electric                             | EVB3S07N40 M             | EVlink Pro AC 7.4kw T2S 6mA MNXMID                           | 7  | Wall          |
| Schneider Electric                             | EVB3S07NC0               | EVlink Pro AC 7.4kw Attcab 6mA MNX                           | 7  | Wall          |
| Schneider Electric                             | EVB3S22N4                | EVlink Pro AC 22kw T2S 6mA MNX                               | 22 | Wall          |
| Schneider Electric                             | EVB3S22N40 M             | EVlink Pro AC 22kw T2S MID 3PH 6mA                           | 22 | Wall          |
| Schneider Electric                             | EVB3S22NC0               | EVlink Pro AC 22 kw Attcab RDC-DD6mA                         | 22 | Wall          |
| Schneider Electric                             | EVB3S22NC0 M             | EVlink Pro AC 22kw AttCab MID 3PH 6mA                        | 22 | Wall          |
| Schneider Electric                             | EVH5A07N2C 5             | Schneider Charge 7,4KW 1P+N 5M Cable                         | 7  | Wall          |
| Schneider Electric                             | EVH5A07N2C 7             | Schneider Charge 7,4KW 3P+N 7M Cable                         | 7  | Wall          |
| Schneider Electric                             | EVH5A22N2S               | Schneider Charge 7,4/11/22KW 1P/3PN T2S                      | 22 | Wall          |
| Schneider Electric                             | EVB3S07N41               | EVlink Pro AC 7.4kw T2S 6mA                                  | 7  | Wall/Pedestal |
| Shanghai SIGEN New Energy Technology Co., Ltd. | Sigen EVAC 7 4G T2 WH    | Sigen EV AC Charger 7 kW 4G 5m Cable Type2 White             | 7  | Wall          |
| Shanghai SIGEN New Energy Technology Co., Ltd. | Sigen EVAC 7 4G T2SH WH  | Sigen EV AC Charger 7 kW 4G Type2 Socket with shutter White  | 7  | Wall          |
| Shanghai SIGEN New Energy Technology Co., Ltd. | Sigen EVAC 22 4G T2 WH   | Sigen EV AC Charger 22 kW 4G 5m Cable Type2 White            | 22 | Wall          |
| Shanghai SIGEN New Energy Technology Co., Ltd. | Sigen EVAC 22 4G T2SH WH | Sigen EV AC Charger 22 kW 4G Type2 Socket with shutter White | 22 | Wall          |
| Shenzhen Greenova Power Group Co.Ltd           | GNS1-ENCAC007            | 7kW Single phase Home use EV charger with cable, Wall mount  | 7  | Wall          |
| Shenzhen Greenova Power Group Co.Ltd           | GNS1-ENCAC022            | 22kW Three phase Home use EV charger with cable, Wall mount  | 22 | Wall          |



|                                      |                     |  |    |               |
|--------------------------------------|---------------------|--|----|---------------|
| Shenzhen Greenova Power Group Co.Ltd | GNS2-ENCAC007       | 7kW Single phase Commercial use EV charger with cable, Wall mount              | 7  | Wall          |
| Shenzhen Greenova Power Group Co.Ltd | GNS2-ENCAC022       | 22kW Three phase Commercial use EV charger with cable, Wall mount              | 22 | Wall          |
| Shenzhen Greenova Power Group Co.Ltd | GNS2-ENCAC007S      | 7kW Single phase Commercial use EV charger Socket type, Wall mount             | 7  | Wall          |
| Shenzhen Greenova Power Group Co.Ltd | GNS2-ENCAC022S      | 22kW Three phase Commercial use EV charger Socket type, Wall mount             | 22 | Wall          |
| Shenzhen Greenova Power Group Co.Ltd | GNS3-ENCAC007       | 7kW Three phase Commercial use EV charger with cable, Single port, Floor mount | 7  | Pedestal      |
| Shenzhen Greenova Power Group Co.Ltd | GNS3-ENCAC022       | 22kW Three phase Commercial use EV charger with cable, Dual port, Floor mount  | 22 | Pedestal      |
| Shenzhen Greenova Power Group Co.Ltd | GNS3-ENCAC044       | 44kW Three phase Commercial use EV charger with cable, Dual port, Floor mount  | 44 | Pedestal      |
| Shenzhen Sinexcel Electric Co Ltd    | SEA230/32I-E-C      | 1 Phase 7kw  | 7  | Wall          |
| Shenzhen Sinexcel Electric Co Ltd    | SEA230/32I-E-S      | 1 Phase 7kw  | 7  | Wall          |
| Shenzhen CEGN Co., Ltd.              | CL5436-A07          | 7kW Slimline Charger   | 7  | Wall/Pedestal |
| Shenzhen CEGN Co., Ltd.              | CL5436-A22          | 22kW Slimline Charger  | 22 | Wall/Pedestal |
| Shenzhen CEGN Co., Ltd.              | CL5435-A21A         | 22kW Industrial Charger  | 22 | Wall/Pedestal |
| Siemens                              | 8EM1310-2EH04- 0GA0 | VersiCharge, No Modem, Socket, 7kW, 1Ph  | 7  | Wall          |
| Siemens                              | 8EM1310-2EH04- 3GA1 | VersiCharge, Modem, Socket, 7kW, 1Ph   | 7  | Wall          |
| Siemens                              | 8EM1310-3EH04- 0GA0 | VersiCharge, No Modem, Socket, 22kW, 3Ph                                       | 22 | Wall          |
| Siemens                              | 8EM1310-3EH04- 3GA1 | VersiCharge, Modem, Socket, 22kW, 3Ph  | 22 | Wall          |
| Siemens                              | 8EM1310-2EJ04- 0GA0 | VersiCharge, No Modem, Plug, 7kW, 1Ph  | 7  | Wall          |



|  |                     |   |    |          |
|--|---------------------|---|----|----------|
| Siemens  | 8EM1310-2EJ04- 3GA1 | VersiCharge, Modem, Plug, 7kW, 1Ph  | 7  | Wall     |
| Siemens  | 8EM1310-3EJ04- 0GA0 | VersiCharge, No Modem, Plug, 22kW, 3Ph  | 22 | Wall     |
| Siemens  | 8EM1310-3EJ04- 3GA1 | VersiCharge, Modem, Plug, 22kW, 3Ph   | 22 | Wall     |
| SinExcel   | SEA230/32Y-E-P      | Interstellar 7kW Home/Business AC Charger - 4G/WIFI   | 7  | Wall     |
| SinExcel   | SEA230/32Y-E-D      | Interstellar 7kW Home/Business AC Charger - 4G/WIFI/Touchscreen                             | 7  | Wall     |
| SinExcel   | SEA40032Y-E-P       | Interstellar 22kW Home/Business AC Charger - 4G/WIFI  | 22 | Wall     |
| SinExcel   | SEA40032Y-E-D       | Interstellar 22kW Home/Business AC Charger - 4G/WIFI/Touchscreen                            | 22 | Wall     |
| Smappee  | EVWB-332-BR-E-W     | EV Wall Business Single/Three Phase, 1 x 7.4kW/22kW, Charging Socket on Right Side (Type 2) | 22 | Wall     |
| Smappee  | EVWB-332-C8R-E-W    | EV Wall Business Single/Three Phase, 1 x 7.4kW/22kW, 8M Tethered Charging Lead (Type 2)     | 22 | Wall     |
| Smappee  | EVB-2332-B-E        | EV Base Single/Three Phase, 2 x 7.4/22kW, Charging Socket on Both Sides (Type 2)            | 22 | Wall     |
| Smappee  | EVB-2332-C5-E       | EV Base Single/Three Phase, 2 x 7.4/22kW, 5M Tethered Charging Lead on Both Sides (Type 2)  | 22 | Wall     |
| Smappee  | EVOB-332-B-E-B      | EV One Business 3-Phase 22 kW   | 22 | Wall     |
| Smappee  | EVB-2332-B-E-B      | EV Base Business Black 3-Phase 2 x 22 kW Socket   | 22 | Pedestal |
| Smappee  | EVWB-332-C8R-E-B    | EV Wall Business Black 3-Phase 22 kW Type 2 cable 8m with cable holder Pack                 | 22 | Wall     |
| SolaX Power Network Technology (Zhejiang) CO.,Ltd. | X1-HAC-7P           | Hyper EV-charger, X1-HAC-7P, one phase, 7kw Plug version, without LCD, with CT              | 7  | Wall     |
| SolaX Power Network Technology (Zhejiang) CO.,Ltd. | X1-HAC-7S           | Hyper EV-charger, X1-HAC-7S, one phase, 7kw, Socket version, without LCD, with CT           | 7  | Wall     |
| SolaX Power Network Technology (Zhejiang) CO.,Ltd. | X3-HAC-22P          | Hyper EV-charger, X3-HAC-22P, three phase, 22kW, Plug version, without LCD, with CT         | 22 | Wall     |
| SolaX Power Network Technology                     | X3-HAC-22S          | Hyper EV-charger, X3-HAC-22S, three phase, 22kW, Socket version, without LCD, with CT       | 22 | Wall     |



|                          |                      |  |    |               |
|--------------------------|----------------------|--|----|---------------|
| (Zhejiang) CO.,Ltd.      |                      |  |    |               |
| Sungrow                  | AC22E-G2             | Sungrow 22kW AC charger with 1* type2 socket.  | 22 | Wall          |
| Teltonika                | EVC121000000         | TeltoCharge 5m Cable Type 22kW (32A / 3-phase)   | 22 | Wall          |
| Teltonika                | EVC120000000         | TeltoCharge Socket Type + 22kW (32A / 3- phase)  | 22 | Wall          |
| Teltonika                | EVC1010P1000         | TeltoCharge 5m Cable Type 7.4kW (32A / 1-phase)  | 7  | Wall          |
| Teltonika                | EVC1000P4011         | TeltoCharge Socket Type 7.4kW (32A / 1-phase)  | 7  | Wall          |
| Teltonika                | EVC160400001         | TeltoCharge Socket Type2 7.4kW (32A / 1-phase) + CT  | 7  | Wall/Pedestal |
| Teltonika                | EVC161400001         | TeltoCharge 5m Cable Type2 7.4kW (32A / 1-phase) + CT  | 7  | Wall/Pedestal |
| Tesla                    | Gen 3 Wall Connector | Tesla Gen 3 Wall Connector compatible with both Single and Three Phase power up to 22kw which comes with a tether 7.3m charging cable. | 7  | Wall/Pedestal |
| TopDon Tehnology Co. Ltd | 22kW PulseQ AC Pro   | TopDon PulseQ AC Pro   | 22 | Wall/Pedestal |
| TopDon Tehnology Co. Ltd | 7kW PulseQ AC Pro    | TopDon PulseQ AC Pro   | 7  | Wall/Pedestal |
| Tribus                   | TR001                | AC 7kW Charging (Socket)   | 7  | Wall          |
| Tribus                   | TR0002               | AC 22Kw Charging (Socket)  | 22 | Wall          |
| Wallbox                  | PLP1-0-2-2-9-001     | Pulsar Plus 7.4kW Type 2 5M White  | 7  | Wall          |
| Wallbox                  | PLP1-0-2-2-9-002     | Pulsar Plus 7.4kW Type 2 5M Black  | 7  | Wall          |
| Wallbox                  | PLP1-M-2-2-9-002     | Pulsar Plus 7.4kW Type 2 7M Black  | 7  | Wall          |
| Wallbox                  | PLP1-0-2-4-9-001     | Pulsar Plus 22kW Type 2 5M White   | 22 | Wall          |
| Wallbox                  | PLP1-0-2-4-9-002     | Pulsar Plus 22kW Type 2 5M Black   | 22 | Wall          |
| Wallbox                  | PLP1-M-2-4-9-001     | Pulsar Plus 22kW Type 2 7M White   | 22 | Wall          |
| Wallbox                  | PLP1-M-2-4-9-002     | Pulsar Plus 22kW Type 2 7M Black   | 22 | Wall          |
| Wallbox                  | PLP2-0-2-2-9-001     | Pulsar Max 7.4kW Type 2 5M White   | 7  | Wall          |
| Wallbox                  | PLP2-0-2-2-9-002     | Pulsar Max 7.4kW Type 2 5M Black   | 7  | Wall          |

|                                    |                         |   |    |      |
|------------------------------------|-------------------------|---|----|------|
| Wallbox                            | PLP2-M-2-2-9-002        | Pulsar Max 7.4kW Type 2 7M Black  | 7  | Wall |
| Wallbox                            | PLP2-0-2-4-9-002        | Pulsar Max 22kW Type 2 5M Black   | 22 | Wall |
| Wallbox                            | PLP2-M-2-4-9-001        | Pulsar Max 22kW Type 2 7M White   | 22 | Wall |
| Wallbox                            | PLP2-M-2-4-9-002        | Pulsar Max 22kW Type 2 7M Black   | 22 | Wall |
| Wallbox                            | PLP2-M-2-2-9-001 (7kW)  | Pulsar Max 7.4kW - 22kW Type 2  | 7  | Wall |
| Wallbox                            | PLP2-M-2-2-9-001 (22kW) | Pulsar Max 7.4kW - 22kW Type 2  | 22 | Wall |
| Wallbox                            | PPR1-0-2-2-K002(7kW)    | Pulsar Pro 7.4kw - 22kW Type 2 + 4G + RFID  | 7  | Wall |
| Wallbox                            | PPR1-M-2-2-K002(7kW)    | Pulsar Pro 7.4kw - 22kW Type 2 + 4G + RFID  | 7  | Wall |
| Wallbox                            | PPR1-0-2-4-K002(22kW)   | Pulsar Pro 7.4kw - 22kW Type 2 + 4G + RFID  | 22 | Wall |
| Wallbox                            | PPR1-M-2-4-K002(22kW)   | Pulsar Pro 7.4kw - 22kW Type 2 + 4G + RFID  | 22 | Wall |
| Weidmuller                         | 2875210000              | AC SMART ECO 7.4KW single phase with 5m cable CH-W-S-A7.4-P-E   | 7  | Wall |
| Weidmuller                         | 2863100000              | AC SMART ECO 22KW 3 phase with 5m cable CH-WS-A22-P-E   | 22 | Wall |
| Weidmuller                         | 2875250000              | AC SMART VALUE 22KW 3 phase with 5m cable CH-W-S-A22-P-V  | 22 | Wall |
| Weidmuller                         | 2875230000              | AC SMART VALUE 22KW 3 phase with SOCKET CH-W-S-A22-P-V  | 22 | Wall |
| Weidmuller                         | 2875290000              | AC SMART ADVANCED CHW-S-A22-P-A   | 22 | Wall |
| Weidmuller                         | 2875270000              | AC SMART ADVANCED CHW-S-A22-S-A   | 22 | Wall |
| Xcharge                            | C2EU - Standard         | C2EU Standard – Wall Mounted 7kW – single phase, wall mounted with one 3 meter cable with one type 2 socket | 7  | Wall |
| Xcharge                            | C2EU - Advanced         | C2EU Advanced – Wall Mounted 22kW – three phase, wall mounted with one 3 meter cable with one type 2 socket | 22 | Wall |
| Zhejiang Benyi New Energy Co. Ltd. | BCP-AT2N-P              | OCPP1.6 Three Phase 22kW EV Charger with Cable with 4G  | 22 | Wall |
| Zhejiang Benyi New Energy Co. Ltd. | BCP-B2N-P               | OCPP1.6 Single Phase 7.4kW EV Charger Socket Type with 4G   | 7  | Wall |
| Zhejiang Benyi New Energy Co. Ltd. | BCP-BT2N-P              | OCPP1.6 Three Phase 22kW EV Charger Socket Type with 4G   | 22 | Wall |



|                                    |                |  |    |      |
|------------------------------------|----------------|--|----|------|
| Zhejiang Benyi New Energy Co. Ltd. | BCPC-D2N-P     | OCPP1.6 Single Phase 7.4kW EV Charger Dual Socket Type with 4G         | 7  | Wall |
| Zhejiang Benyi New Energy Co. Ltd. | BCPC-DT2N-P    | OCPP1.6 Three Phase 22kW EV Charger Dual Socket Type with 4G           | 22 | Wall |
| Zhejiang Benyi New Energy Co. Ltd. | BCPC-B2N-P     | OCPP1.6 Single Phase 7.4kW EV Charger Single Socket Type with 4G       | 7  | Wall |
| Zhejiang Benyi New Energy Co. Ltd. | BCPC-BT2N-P    | OCPP1.6 Three Phase 22kW EV Charger Single Socket Type with 4G         | 22 | Wall |
| Zhejiang Benyi New Energy Co. Ltd. | BCP-A2N-P      | OCPP1.6 Single Phase 7.4kW EV Charger with Cable with 4G               | 7  | Wall |
| Zhejiang Benyi New Energy Co. Ltd. | BCP-A2N-P      | OCPP Version 7kW Single Phase EV Charger with Cable                    | 7  | Wall |
| Zhejiang Benyi New Energy Co. Ltd. | BCP-B2N-P      | OCPP Version 7kW Single Phase EV Charger Socket Type                   | 7  | Wall |
| Zhejiang Benyi New Energy Co. Ltd. | BCPC-B2N-P     | OCPP Version 7kW Single Phase EV Charger Single Socket Type without 4G | 7  | Wall |
| Zhejiang Benyi New Energy Co. Ltd. | BCPC-D2N-P     | OCPP Version 7kW Single Phase EV Charger Dual Socket Type without 4G   | 7  | Wall |
| Zhejiang Benyi New Energy Co. Ltd. | BCPC-B2N-P-4G  | OCPP Version 7kW Single Phase EV Charger Single Socket Type with 4G    | 7  | Wall |
| Zhejiang Benyi New Energy Co. Ltd. | BCPC-D2N-P-4G  | OCPP Version 7kW Single Phase EV Charger Dual Socket Type with 4G      | 7  | Wall |
| Zhejiang Benyi New Energy Co. Ltd. | BCP-AT2N-P     | OCPP 22kW Three Phase EV Charger with Cable                            | 22 | Wall |
| Zhejiang Benyi New Energy Co. Ltd. | BCP-BT2N-P     | OCPP 22kW Three Phase EV Charger Socket Type                           | 22 | Wall |
| Zhejiang Benyi New Energy Co. Ltd. | BCPC-BT2N-P    | OCPP 22kW Three Phase EV Charger Single Socket Type without 4G         | 22 | Wall |
| Zhejiang Benyi New Energy Co. Ltd. | BCPC-DT2N-P    | OCPP 22kW Three Phase EV Charger Dual Socket Type without 4G           | 22 | Wall |
| Zhejiang Benyi New Energy Co. Ltd. | BCPC-BT2N-P-4G | OCPP 22kW Three Phase EV Charger Single Socket Type with 4G            | 22 | Wall |
| Zhejiang Benyi New Energy Co. Ltd. | BCPC-DT2N-P-4G | OCPP 22kW Three Phase EV Charger 22kW Dual Socket with 4G              | 22 | Wall |





|  |                  |                         |    |               |
|--|------------------|-------------------------|----|---------------|
| ZhuHai Pilot Technology Co., LTD       | PEVC2201E        | 22kW Industrial Charger | 22 | Wall/Pedestal |
| ZhuHai Pilot Technology Co., LTD       | PEVC2201E-32A400 | 7kW Slimline Charger    | 7  | Wall/Pedestal |
| ZhuHai Pilot Technology Co., LTD       | TACEV001 22KW    | 22kW Industrial Charger | 22 | Wall/Pedestal |
| ZhuHai Pilot Technology Co., LTD       | TACEV001 7KW     | 7kW Slimline Charger    | 7  | Wall/Pedestal |
| ZhuHai Sino Energy Technology Co.,Ltd. | PEVC2107E-32A230 | AC EV charger           | 7  | Wall/Pedestal |
| ZhuHai Sino Energy Technology Co.,Ltd. | PEVC2107E-32A400 | AC EV charger           | 22 | Wall/Pedestal |

### 3. APPROVED DC CHARGER LIST

#### Criteria

All approved DC chargers have been assessed and approved against the following criteria:

- Available within Australia, with a procurement lead time of no more than 9 months
- Compliant to relevant Australian standards
- Be RCM marked, in accordance with AS/NZS4417
- Be able to support any EV make/model Available in Australia that has a CCS2 DC port
- Have at least 1 x CCS2 cable outlet. CHAdeMO is permitted, but not required. Multiple - cable outlets are permitted but not required
- Have DC output of 24-350kW
- OCPP 1.6 and/or OCPP 2.0 communications capability, over at least one of Ethernet, Wifi or 4G
- Ingress protection rating of IP54 or higher
- Have an impact protection rating of IK10 or higher
- Offer a service level agreement (SLA) or equivalent instrument on all quotations. The SLA shall define, but not limited to, committed timeframes to supply replacement parts in case of breakdown, and commercial consequences for failure to supply

#### EV charger and software compatibility

In order to receive a grant you must take out a two year subscription to one of the EV charging software platforms on the Approved Software List. Please ensure that you check with your software provider that your preferred make and model of EV charger is compatible with the software you have selected. Obtaining written confirmation from your software supplier is recommended.

#### List of approved DC chargers

| Charger Brand | Charger Model Number | Charger Description                | Power Output (kW) | Mounting Type |
|---------------|----------------------|------------------------------------|-------------------|---------------|
| ABB           | 6AGC077815           | Terra Wall Box CCS2 3.5m           | 24                | Wall          |
| ABB           | 6AGC077816           | Terra Wall Box CCS2 7.0m           | 24                | Wall          |
| ABB           | 6AGC077814           | Terra Wall Box CCS2 + CHAdeMO 3.5m | 24                | Wall          |
| ABB           | 6AGC077817           | Terra Wall Box CCS2 + CHAdeMO 7.0m | 24                | Wall          |
| ABB           | 6AGC075211           | Terra54 C CE                       | 50                | Pedestal      |
| ABB           | 6AGC063492           | Terra54 CJ CE                      | 50                | Pedestal      |

|                        |                        |                     |     |          |
|------------------------|------------------------|---------------------|-----|----------|
| ABB                    | 6AGC070818             | Terra54HV C CE      | 50  | Pedestal |
| ABB                    | 6AGC076568             | Terra54HV CJ CE     | 50  | Pedestal |
| ABB                    | 6AGC102244             | T94C                | 90  | Pedestal |
| ABB                    | 6AGC102218             | T94CC               | 90  | Pedestal |
| ABB                    | 6AGC102224             | T94CJ               | 90  | Pedestal |
| ABB                    | 6AGC102246             | T124C               | 120 | Pedestal |
| ABB                    | 6AGC102220             | T124CC              | 120 | Pedestal |
| ABB                    | 6AGC102226             | T124CJ              | 120 | Pedestal |
| ABB                    | 6AGC085473             | T124HC C            | 120 | Pedestal |
| ABB                    | 6AGC084253             | T124HC CC           | 120 | Pedestal |
| ABB                    | 6AGC102783             | T124HC CC - 6m      | 120 | Pedestal |
| ABB                    | 6AGC085474             | T124HC CJ           | 120 | Pedestal |
| ABB                    | 6AGC102245             | T184C               | 180 | Pedestal |
| ABB                    | 6AGC102219             | T184CC              | 180 | Pedestal |
| ABB                    | 6AGC100993             | T184CJ              | 180 | Pedestal |
| ABB                    | 6AGC085488             | T184HC C            | 180 | Pedestal |
| ABB                    | 6AGC082856             | T184HC CC           | 180 | Pedestal |
| ABB                    | 6AGC082857             | T184HC CJ           | 180 | Pedestal |
| ABB                    | 6AGC102222             | Terra 124 CC - 6m   | 120 | Pedestal |
| ABB                    | 6AGC105090             | Terra 184 CC - 6m   | 180 | Pedestal |
| ABB                    | 6AGC105091             | Terra 184HC CC - 6m | 180 | Pedestal |
| Ador Digatron (Quench) | Oasis_30kW             | 30kW Single CCS2    | 30  | Pedestal |
| Ador Digatron (Quench) | Quench_60kW_DualSocket | 60KW Dual CCS2      | 60  | Pedestal |



|                                  |                         |   |     |          |
|----------------------------------|-------------------------|---|-----|----------|
| Ador Digatron (Quench)           | Quench_120kW_DualSocket | 120kW Dual CCS2   | 120 | Pedestal |
| ads-tec Energy GmbH              | DVK-CPT1024 0YY-AA/RR   | Charge Post -DC-Power 300kW or 2 x 150 kW<br>Battery storage 147 kWh gross capacity<br>DC meter for calibration compliant measurements<br>2 x CCS2 plugs (charging cables 3m).....Low grid supply in Ultra High Output Power              | 300 | Pedestal |
| ads-tec Energy GmbH              | DVK-CPT1124 0YY-AA/RR   | Charge Post -DC-Power 300 or 2 x 150 kW<br>Battery storage 147 kWh gross capacity<br>1 x 75-inch advertising displays with ultra HD resolution<br>DC meter for calibration compliant measurements<br>2 x CCS2 plugs (charging cables 3m)  | 300 | Pedestal |
| ads-tec Energy GmbH              | DVK-CPT1224 0YY-AA/RR   | Charge Post - DC-Power 300 or 2 x 150 kW<br>Battery storage 147 kWh gross capacity<br>2 x 75-inch advertising displays with ultra HD resolution<br>DC meter for calibration compliant measurements<br>2 x CCS2 plugs (charging cables 3m) | 300 | Pedestal |
| ads-tec Energy GmbH              | DVK-HPX1122             | Charge Box -DC-Power 320 or 2 x 150 kW<br>Battery storage 140 kWh gross capacity<br>DC meter for calibration compliant measurements<br>2 x CCS2 plugs (charging cables 3m).....Low Grid Supply Ultra High Output Charging Power           | 320 | Pedestal |
| Alpitronics for Elanga Australia | HYC50                   | Bidirectional 50kW dual socket Wall mountable. Cable Management System Included   | 50  | Pedestal |
| Alpitronics for Elanga Australia | HYC200-1                | 100kW Dual socket;100 kW power stacks with 50 kW  | 100 | Pedestal |



|                                  |                        |   |     |   |
|----------------------------------|------------------------|---|-----|---|
|                                  |                        | granularity for more user dedicated power   |     |   |
| Alpitronics for Elanga Australia | HYC200-2               | 200kW Dual socket; 100 kW power stacks with 50 kW granularity for more user dedicated power | 200 | Pedestal  |
| AppCharge                        | DC-FM-30               | 30kW DC EV Charger  | 30  | Pedestal  |
| AppCharge                        | DC-FM-40-DUO           | 40kW DC EV Charger  | 40  | Pedestal  |
| AppCharge                        | DC-FM-60-DUO           | 60kW DC EV Charger  | 60  | Pedestal  |
| AppCharge                        | DC-FM-80-DUO           | 80kW DC EV Charger  | 80  | Pedestal  |
| AppCharge                        | DC-FM-100-DUO          | 100kW DC EV Charger   | 100 | Pedestal  |
| AppCharge                        | DC-FM-120-DUO          | 120kW DC EV Charger   | 120 | Pedestal  |
| AppCharge                        | DC-FM-160-DUO          | 160kW DC EV Charger   | 160 | Pedestal  |
| AppCharge                        | DC-FM-180-DUO          | 180kW DC EV Charger   | 180 | Pedestal  |
| Autel                            | DC W47 MaxiEU          | MaxiCharger DC47KW Compact  | 47  | Pedestal  |
| Autel                            | DC W47 MaxiEU - Mobile | MaxiCharger DC47KW Compact - Mobile   | 47  | Mobile Wheels (must be installed, otherwise ineligible) |
| Autel                            | DC W60 MaxiEU          | MaxiCharger DC60KW  | 60  | Pedestal  |
| Autel                            | DC W120 MaxiEU         | MaxiCharger DC120KW   | 120 | Pedestal  |
| Autel                            | DC W180 MaxiEU         | MaxiCharger DC180KW   | 180 | Pedestal  |
| Autel                            | DC W240 MaxiEU         | MaxiCharger DC240KW   | 240 | Pedestal  |
| Autel                            | EW040A2501             | DC Compact 47Kw   | 47  | Pedestal  |
| Autel                            | EF060A3001             | DC Fast 60Kw  | 60  | Pedestal  |
| Autel                            | EF080A3001             | Maxicharger DC Fast 80kW  | 80  | Pedestal  |
| Autel                            | EF100A3001             | Maxicharger DC Fast 100kW   | 100 | Pedestal  |
| Autel                            | EF120A3001             | DC Fast 120Kw   | 120 | Pedestal  |

|       |            |   |     |               |
|-------|------------|---|-----|---------------|
| Autel | EF140A3001 | Maxicharger DC Fast 140kW                               | 140 | Pedestal      |
| Autel | EF160A3001 | Maxicharger DC Fast 160kW                               | 160 | Pedestal      |
| Autel | EF180A3001 | DC Fast 180kw   | 180 | Pedestal      |
| Autel | EF200A3001 | Maxicharger DC Fast 200kW                               | 200 | Pedestal      |
| Autel | EF220A3001 | Maxicharger DC Fast 220kW                               | 220 | Pedestal      |
| Autel | EF240A3001 | DC Fast 240Kw   | 240 | Pedestal      |
| Autel | 60 kW      | MaxiCharger DC Fast                                     | 60  | Pedestal      |
| Autel | 47kW       | MaxiCharger DC Wall Mount                               | 47  | Wall/Pedestal |
| Beny  | BBDC30     | 30kW, 5m Cable, CCS2, Wall Mounted                      | 30  | Wall/Pedestal |
| Beny  | BBDC40     | 40kW, 5m Cable, CCS2, Wall Mounted                      | 40  | Wall/Pedestal |
| Beny  | BDC30-S    | 30kW, 5m Cable, CCS2, Floor Mounted                     | 30  | Pedestal      |
| Beny  | BDC40-S    | 40kW, 5m Cable, CCS2, Floor Mounted                     | 40  | Pedestal      |
| Beny  | BDC60-S    | 60kW, 5m Cable, CCS2, Floor Mounted                     | 60  | Pedestal      |
| Beny  | BDC90-S    | 90kW, 5m Cable, CCS2, Floor Mounted                     | 90  | Pedestal      |
| Beny  | BDC120-S   | 120kW, 5m Cable, CCS2, Floor Mounted                    | 120 | Pedestal      |
| Beny  | BDC150-S   | 150kW, 5m Cable, CCS2, Floor Mounted                    | 150 | Pedestal      |
| Beny  | BDC180-S   | 180kW, 5m Cable, CCS2, Floor Mounted                    | 180 | Pedestal      |
| Beny  | BDC240-S   | 240kW, 5m Cable, CCS2, Floor Mounted                    | 240 | Pedestal      |
| Beny  | BDC60-D    | 60kW, 5m Cable, CCS2 or CCS1 or CHAdeMO, Floor Mounted  | 60  | Pedestal      |
| Beny  | BDC90-D    | 90kW, 5m Cable, CCS2 or CCS1 or CHAdeMO, Floor Mounted  | 90  | Pedestal      |
| Beny  | BDC120-D   | 120kW, 5m Cable, CCS2 or CCS1 or CHAdeMO, Floor Mounted | 120 | Pedestal      |
| Beny  | BDC150-D   | 150kW, 5m Cable, CCS2 or CCS1 or CHAdeMO, Floor Mounted | 150 | Pedestal      |

|            |               |  |     |          |
|------------|---------------|--|-----|----------|
| Beny       | BDC180-D      | 180kW, 5m Cable, CCS2 or CCS1 or CHAdeMO, Floor Mounted                        | 180 | Pedestal |
| Beny       | BDC240-D      | 240kW, 5m Cable, CCS2 or CCS1 or CHAdeMO, Floor Mounted                        | 240 | Pedestal |
| Beny       | BADC52-S      | 52kW, 5m Cable, CCS2 + Type 2 AC, Floor Mounted                                | 52  | Pedestal |
| Beny       | BADC82-S      | 82kW, 5m Cable, CCS2 + Type 2 AC, Floor Mounted                                | 82  | Pedestal |
| Beny       | BADC112-S     | 112kW, 5m Cable, CCS2 + Type 2 AC, Floor Mounted                               | 112 | Pedestal |
| Beny       | BADC142-S     | 142kW, 5m Cable, CCS2 + Type 2 AC, Floor Mounted                               | 142 | Pedestal |
| Beny       | BADC172-S     | 172kW, 5m Cable, CCS2 + Type 2 AC, Floor Mounted                               | 172 | Pedestal |
| Beny       | BADC202-S     | 202kW, 5m Cable, CCS2 + Type 2 AC, Floor Mounted                               | 202 | Pedestal |
| Beny       | BADC262-S     | 262kW, 5m Cable, CCS2 + Type 2 AC, Floor Mounted                               | 262 | Pedestal |
| Beny       | BADC82-D      | 82kW, 5m Cable, CCS2 or CCS1 or CHAdeMO + Type 2 AC, Floor Mounted             | 82  | Pedestal |
| Beny       | BADC112-D     | 112kW, 5m Cable, CCS2 or CCS1 or CHAdeMO + Type 2 AC, Floor Mounted            | 112 | Pedestal |
| Beny       | BADC142-D     | 142kW, 5m Cable, CCS2 or CCS1 or CHAdeMO + Type 2 AC, Floor Mounted            | 142 | Pedestal |
| Beny       | BADC172-D     | 172kW, 5m Cable, CCS2 or CCS1 or CHAdeMO + Type 2 AC, Floor Mounted            | 172 | Pedestal |
| Beny       | BADC202-D     | 202kW, 5m Cable, CCS2 or CCS1 or CHAdeMO + Type 2 AC, Floor Mounted            | 202 | Pedestal |
| Beny       | BADC262-D     | 262kW, 5m Cable, CCS2 or CCS1 or CHAdeMO + Type 2 AC, Floor Mounted            | 262 | Pedestal |
| Beny       | BSDC180-250D1 | Split DC Charger, 180kW, 5m Cable, CCS2 or CCS1 or CHAdeMO, Floor Mounted      | 180 | Pedestal |
| Beny       | BSDC240-250D2 | Split DC Charger, 240kW, 5m Cable, CCS2 or CCS1 or CHAdeMO, Floor Mounted      | 240 | Pedestal |
| Circontrol | CCS CHA T2C32 | Raption 50 is a 50Kw DC charger with 1/2/3Plug configuration OCPP1.6 Compliant | 50  | Pedestal |
| Circontrol | CCS CHA T2C32 | Raption 100 is a 100Kw DC charger with 1/2/3Plug                               | 100 | Pedestal |

|                   |                     | configuration OCPP1.6 Compliant                                   |     |               |
|-------------------|---------------------|---|-----|---------------|
| Circontrol        | eVolve Rapid Master | eVolve Rapid is a single plug 25KwDC charger with OCPP Compliance | 25  | Pedestal      |
| Circontrol        | eVolve Rapid Slave  | eVolve Rapid is a single plug 25KwDC charger with OCPP Compliance | 25  | Wall/Pedestal |
| Delta Electronics | EVDE25E4DUM         | DC Wallbox 25kW 4M  | 25  | Wall          |
| Delta Electronics | EVDE25D4DUM         | DC Wallbox 25kW 4M  | 25  | Wall          |
| Delta Electronics | EVDE25D7DUM         | DC Wallbox 25kW 7M  | 25  | Wall          |
| Delta Electronics | EVHE104EFCA05       | DC CityCharger 100kW  | 100 | Pedestal      |
| Delta Electronics | EVHE104EHCA05       | DC CityCharger 100kW  | 100 | Pedestal      |
| Delta Electronics | EIDSE150TSEE01      | DC CityCharger 150kW  | 150 | Pedestal      |
| Delta Electronics | EIDSE200TSEEA01     | DC CityCharger 200kW  | 200 | Pedestal      |
| Delta Electronics | EIDD-E & EIDN-E     | High Power Charger 350kW  | 350 | Pedestal      |
| Delta Electronics | EVDE25D4DUM4G       | 25kW DC wallbox with 4m cable CCS2 & CHAdeMO                      | 25  | Wall          |
| Delta Electronics | EVDE25D7DUM4G       | 25kW DC wallbox with 7m cable CCS2 & CHAdeMO                      | 25  | Wall          |
| Delta Electronics | EVHE104EKCA05       | 100kW DC City Charger with CCS2 & CHAdeMO                         | 100 | Pedestal      |
| Delta Electronics | EVHE104ENCA05       | 100kW DC City Charger with CCS2 & CHAdeMO + Type 2 Socket         | 100 | Pedestal      |
| Delta Electronics | EIDSE150TSEEA01     | 150kW DC City Charger with CCS2 & CCS2                            | 150 | Pedestal      |
| Delta Electronics | EIDWE50TSEEA02      | 50kW DC Wallbox with 4m CCS2 & CCS2                               | 50  | Wall          |
| Delta Electronics | EIDWE50TSRA02       | 50kW DC Wallbox with 4m CCS2 & CCS2 + 5m Type 2                   | 50  | Wall          |
| Delta Electronics | EIDWS50TSEEA06      | 50kW DC Wallbox with 7m CCS2 & CCS2                               | 50  | Wall          |
| Delta Electronics | EIDWS50TSEJA02      | 50kW DC Wallbox with 4m CCS2 & CHAdeMO                            | 50  | Wall          |
| Delta Electronics | EIDWS50TSEJA06      | 50kW DC Wallbox with 7m CCS2 & CHAdeMO                            | 50  | Wall          |
| Delta Electronics | EIDWS50TSPA02       | 50kW DC Wallbox with 7m CCS2 & CHAdeMO + 5m Type 2                | 50  | Wall          |



|                   |                    |   |     |          |
|-------------------|--------------------|---|-----|----------|
| Delta Electronics | EIDW-S50TS-XXAXX   | DC Wallbox 50 kW<br>RFID/Ethernet/4G/RCM/ 4m<br>Cable   | 50  | Wall     |
| Delta Electronics | EVHE104-XXXX       | 100kW Dual Output DC<br>Charger<br>RFID/Ethernet/4G/RCM/ 4m<br>Cable  | 100 | Pedestal |
| Delta Electronics | EIDS-E150TS-XXX    | 150kW Dual Output DC<br>Charger<br>RFID/Ethernet/4G/RCM/ 4m<br>Cable  | 150 | Pedestal |
| Delta Electronics | EIDS-E200TS-XXX    | 200kW Dual Output DC<br>Charger<br>RFID/Ethernet/4G/RCM/ 4m<br>Cable  | 200 | Pedestal |
| Delta Electronics | EIDN-E350          | High Power Charger 350kW<br>RFID/Ethernet/4G/RCM/ 4m<br>Cable   | 350 | Pedestal |
| Elumina           | eLumina - D2 - 60  | 60kW fast charger with<br>embedded dynamic power<br>allocation system   | 60  | Pedestal |
| Elumina           | eLumina - D2 - 120 | 120kW fast charger with<br>embedded dynamic power<br>allocation system  | 120 | Pedestal |
| Elumina           | eLumina - D2 - 180 | 180kW fast charger with<br>embedded dynamic power<br>allocation system  | 180 | Pedestal |
| Elumina           | eLumina - D1       | Ultra Fast D1 Supercharger<br>can produce 204kW<br>combined EV charging from<br>10KW-40KW input, achieved<br>through built in 193kWh<br>battery with liquid cooling and<br>supports v2g | 204 | Pedestal |
| EVBox             | 180 kW CCS2        | Troniq Modular DC Charger   | 180 | Pedestal |
| EVESCO            | EVDC-60-CCS2xxxx   | 60kW Dual port DC Charger   | 60  | Pedestal |
| EVESCO            | EVDC-60-CCS2xxxx   | 60kW Dual port DC Charger<br>with Multimedia Screen   | 60  | Pedestal |
| EVolution         | EVDC 30            | Wall mount Single Port DC<br>Fast Charger   | 30  | Wall     |
| EVolution         | EVDC 60            | Pedestal Mounted Dual port<br>DC Fast Charger capable of<br>simultaneous and sequential<br>charging   | 60  | Pedestal |
| Gresgying         | X280-F1-EU30       | Wallbox 30kW DC   | 30  | Wall     |
| Gresgying         | X280-F2-EU60       | Gresgying 60kW DC   | 60  | Pedestal |

|  |                  |   |     |               |
|--|------------------|---|-----|---------------|
| Gresgying                                      | X280-F3-EU120    | Gresgying 120kW DC  | 120 | Pedestal      |
| Gresgying                                      | X280-F3-EU180    | Gresgying 180kW DC  | 180 | Pedestal      |
| HyperCharger                                   | HYC50            | 50kW Dual Socket Wall mountable   | 50  | Pedestal      |
| HyperCharger                                   | HYC200-1         | 100kW Dual Socket   | 100 | Pedestal      |
| HyperCharger                                   | HYC200-2         | 200kW Dual socket   | 200 | Pedestal      |
| HyperCharger                                   | HYC150           | 150kW Dual socket   | 150 | Pedestal      |
| I-Charging (Blueberry)                         | 50kW             | 50kW all in one charger with sequential charging and 32" multi-media screen.  | 50  | Pedestal      |
| I-Charging (Blueberry)                         | 150kW Fusion     | 150kW all in one charger with simultaneous charging and 32" multi-media screen. Scalable from 50kW up to 150kW power.   | 150 | Pedestal      |
| I-Charging (Blueberry)                         | 200kW Cluster    | 200kW charger with dynamic simultaneous charging and 32" multi-media screen. Scalable power from 100kW up to 600kW and also scale charging outlets from 2 to 4. | 200 | Pedestal      |
| I-Charging (Blueberry)                         | 300kW Cluster    | 300kW charger with dynamic simultaneous charging and 32" multi-media screen. Scalable power from 100kW up to 600kW and also scale charging outlets from 2 to 4. | 300 | Pedestal      |
| JiangXi RuiHua Intelligent Technology Co., Ltd | SV-EVC1-30-5m    | 30kw DC Charging Station, Single Gun  | 30  | Wall/Pedestal |
| JiangXi RuiHua Intelligent Technology Co., Ltd | SV-EVC1-40-5m    | 40kw DC Charging Station, Single Gun  | 40  | Wall/Pedestal |
| JiangXi RuiHua Intelligent Technology Co., Ltd | SV-EVC2-60-2X5M  | 60kW DC Charging Station, Dual Gun, 200—1000V   | 60  | Pedestal      |
| JiangXi RuiHua Intelligent Technology Co., Ltd | SV-EVC2-80-2X5M  | 80kW DC Charging Station, Dual Gun, 200—1000V   | 80  | Pedestal      |
| JiangXi RuiHua Intelligent                     | SV-EVC2-120-2X5M | 120kW DC Charging Station, Dual Gun, 200—1000V  | 120 | Pedestal      |



| Technology Co., Ltd                            |                  |   |        |          |
|--|------------------|---|--------|----------|
| JiangXi RuiHua Intelligent Technology Co., Ltd | SV-EVC2-160-2X5M | 160kW DC Charging Station, Dual Gun, 200—1000V  | 160    | Pedestal |
| Kempower                                       | C501P120CC5ESD2  | Kempower Station Charger C501P120CC5ESD2, 120kW continuous, 150kW peak, 150Vdc - 1000Vdc, 2 outputs, 300A dual CCS2 | 150    | Pedestal |
| Kempower                                       | C501P160CC5ESD2  | Kempower Station Charger C501P160CC5ESD2, 160kW continuous, 200kW peak, 150Vdc - 1000Vdc, 2 outputs, 300A dual CCS2 | 200    | Pedestal |
| Kempower                                       | C501P120ND4      | Kempower Power Unit C501P120ND4, 120kW continuous, 150kW peak, 150Vdc - 1000Vdc, 4 outputs                          | 150    | Pedestal |
| Kempower                                       | C501P160ND4      | Kempower Power Unit C501P160ND4, 160kW continuous, 200kW peak, 150Vdc - 1000Vdc, 4 outputs                          | 200    | Pedestal |
| Kempower                                       | C502P240ND6      | Kempower Power Unit C502P240ND6, 240kW continuous, 300kW peak, 150Vdc - 1000Vdc, 6 outputs                          | 300    | Pedestal |
| Kempower                                       | STX5EBS          | Satellite, 300A CCS2 and 125A CHAdeMO, single output, non-simultaneous  | 40-350 | Pedestal |
| Kempower                                       | STC5CS           | Satellite, single 200A CCS2   | 40-350 | Pedestal |
| Kempower                                       | STCC5CS          | Satellite, dual 200A CCS2   | 40-350 | Pedestal |
| Kempower                                       | STCD5CS          | Satellite, 200A CCS2 and 125A CHAdeMO   | 40-350 | Pedestal |
| Kempower                                       | STC5ES           | Satellite, single 300A CCS2   | 40-350 | Pedestal |
| Kempower                                       | STCD5ES          | Satellite, 300A CCS2 and 125A CHAdeMO   | 40-350 | Pedestal |
| Kempower                                       | STC5DS           | Satellite, single 250A CCS2   | 40-350 | Pedestal |
| Kempower                                       | STCC5DS          | Satellite, dual 250A CCS2   | 40-350 | Pedestal |
| Kempower                                       | STCD5DS          | Satellite, 250A CCS2 and 125A CHAdeMO   | 40-350 | Pedestal |
| Kempower                                       | STQC5FE          | Satellite, continuous 500A current, liquid cooled, with Estop   | 40-350 | Pedestal |



|          |                             |   |     |          |
|----------|-----------------------------|---|-----|----------|
| Kempower | C-Station 150 kW DC         | Station charger                                       | 150 | Pedestal |
| Kempower | C-Cabinet 200 kW DC + 1 Sat | C+S   | 200 | Pedestal |
| Kempower | T500P40C5BS                 | 200-500VDC, 1 x CCS2, 40kW                            | 40  | Pedestal |
| Kempower | T500P40CC5BS                | 200-500VDC, 2 x CCS2 + CCS2, 2x20kW                   | 40  | Pedestal |
| Kempower | T500P40CD5BS                | 200-500VDC, 1 x CCS2 + 1 x CHAdeMO, 2x20kW            | 40  | Pedestal |
| Kempower | T800P40C5AS                 | 200-800VDC, 1 x CCS2, 40kW                            | 40  | Pedestal |
| Kempower | T800P40CC5AS                | 200-800VDC, 2 x CCS2, 2x20kW                          | 40  | Pedestal |
| Kempower | C Station / C501P40CC5CSD2  | Single Cabinet - 200-500/800VDC, 2 dy. Outputs, 200A  | 50  | Pedestal |
| Kempower | C Station / C501P80CC5CSD2  | Single Cabinet - 200-500/800VDC, 2 dy. Outputs, 200A  | 100 | Pedestal |
| Kempower | C Station / C501P120CC5CSD2 | Single Cabinet - 200-500/800VDC, 2 dy. Outputs, 200A  | 150 | Pedestal |
| Kempower | C Station / C501P160CC5CSD2 | Single Cabinet - 200-500/800VDC, 2 dy. Outputs, 200A  | 200 | Pedestal |
| Kempower | C Station / C502P200CC5CSD2 | Double Cabinet - 200-500/800VDC, 2 dy. Outputs, 200A  | 250 | Pedestal |
| Kempower | C Station / C502P240CC5CSD2 | Double Cabinet - 200-500/800VDC, 2 dy. Outputs, 200A  | 300 | Pedestal |
| Kempower | C Station / C502P280CC5CSD2 | Double Cabinet - 200-500/800VDC, 2 dy. Outputs, 200A  | 350 | Pedestal |
| Kempower | C501P80ND4 & STCC5CS        | Single Cabinet - 200-500/800VDC, 4 dy. Outputs, 100kW | 100 | Pedestal |
| Kempower | C501P120ND4 & STCC5CS       | Single Cabinet - 200-500/800VDC, 4 dy. Outputs, 150kW | 150 | Pedestal |
| Kempower | C501P160ND4 & STCC5CS       | Single Cabinet - 200-500/800VDC, 4 dy. Outputs, 200kW | 200 | Pedestal |
| Kempower | C502P200ND4 & STCC5CS       | Double Cabinet - 200-500/800VDC, 4 dy. Outputs, 250kW | 250 | Pedestal |
| Kempower | C502P200ND4 & 2 x STCC5CS   | Double Cabinet - 200-500/800VDC, 4 dy. Outputs, 250kW | 250 | Pedestal |



|                                 |                           |   |     |               |
|---------------------------------|---------------------------|---|-----|---------------|
| Kempower                        | C502P240ND4 & STCC5CS     | Double Cabinet - 200-500/800VDC, 4 dy. Outputs, 300kW | 300 | Pedestal      |
| Kempower                        | C502P240ND4 & 2 x STCC5CS | Double Cabinet - 200-500/800VDC, 4 dy. Outputs, 300kW | 300 | Pedestal      |
| Kempower                        | C502P280ND4 & STCC5CS     | Double Cabinet - 200-500/800VDC, 4 dy. Outputs, 350kW | 350 | Pedestal      |
| Kempower                        | C502P280ND4 & STCC5CS     | Double Cabinet - 200-500/800VDC, 4 dy. Outputs, 350kW | 350 | Pedestal      |
| Magellan                        | EV Charger DC 80KW        | Magellan Power DC Fast Charger Series, 80KW           | 80  | Pedestal      |
| Magellan                        | EV Charger DC 120KW       | Magellan Power DC Fast Charger Series, 120KW          | 120 | Pedestal      |
| Magellan                        | EV Charger DC 160KW       | Magellan Power DC Fast Charger Series, 160KW          | 160 | Pedestal      |
| Magellan                        | EV Charger DC 240KW       | Magellan Power DC Fast Charger Series, 240KW          | 240 | Pedestal      |
| Micro-Star International Co Ltd | MS-C8NN-60                | MSI Hyper 60kW Dual DC Charger                        | 60  | Pedestal      |
| Micro-Star International Co Ltd | MS-C8NN-120               | MSI Hyper 120kW Dual DC Charger                       | 120 | Pedestal      |
| Micro-Star International Co Ltd | MS-C8NN-180               | MSI Hyper 180kW Dual DC Charger                       | 180 | Pedestal      |
| Murray EVC                      | MEVC-DC-CB-60-1/2C-CCS2   | RechargeME DC Fast-Charging Station 60 kW CCS2        | 60  | Pedestal      |
| Murray EVC                      | MEVC-DC-CB-90-1/2C-CCS2   | RechargeME DC Ultrafast-Charging Station 90 kW CCS2   | 90  | Pedestal      |
| Murray EVC                      | MEVC-DC-CB-120-1/2C-CCS2  | RechargeME DC Ultrafast-Charging Station 120 kW CCS2  | 120 | Pedestal      |
| Murray EVC                      | MEVC-DC-CB-150-1/2C-CCS2  | RechargeME DC Superfast-Charging Station 150 kW CCS2  | 150 | Pedestal      |
| Murray EVC                      | MEVC-DC-CB-180-1/2C-CCS2  | RechargeME DC Superfast-Charging Station 180 kW CCS2  | 180 | Pedestal      |
| Ocular Charging                 | IOC030HY1                 | Ocular Titan 30kW Single CCS2 Charger                 | 30  | Wall/Pedestal |
| Ocular Charging                 | IOC060HY2-EE              | Ocular Titan 60kW Dual CCS 2 Charger                  | 60  | Wall/Pedestal |
| Ocular Charging                 | IOC060JY2-EE              | Ocular Atlas 60kW Dual CCS 2 Charger                  | 60  | Pedestal      |



|                 |              |  |     |               |
|-----------------|--------------|--|-----|---------------|
| Ocular Charging | IOC090JY2-EE | Ocular Atlas 90kW Dual CCS 2 Charger   | 90  | Pedestal      |
| Ocular Charging | IOC120JY2-EE | Ocular Atlas 120kW Dual CCS 2 Charger  | 120 | Pedestal      |
| Ocular Charging | IOC150JY2-EE | Ocular Atlas 150kW Dual CCS 2 Charger  | 150 | Pedestal      |
| Ocular Charging | IOC180JY2-EE | Ocular Atlas 180kW Dual CCS 2 Charger  | 180 | Pedestal      |
| Ocular Charging | IOC240LY2-EE | Ocular Orion 240kW Dual CCS 2 Charger  | 240 | Pedestal      |
| Ocular Charging | IOC300LY2-EE | Ocular Orion 300 kW Dual CCS 2 Charger   | 300 | Pedestal      |
| Ocular Charging | IOC060NY2    | Ocular Atlas Pro 60kW Dual CCS 2 Charger   | 60  | Pedestal      |
| Ocular Charging | IOC120NY2    | Ocular Atlas Pro 120kW Dual CCS 2 Charger  | 120 | Pedestal      |
| Orbis           | OB94LCOO424O | 60KW DC PEDESTAL CHARGER 1 X CCS   | 60  | Pedestal      |
| Orbis           | OB94LCHO424O | 60KW DC PEDESTAL CHARGERC 1 X CCS & 1 X CHADEMO  | 60  | Pedestal      |
| Orbis           | OB94LCCO424O | 60KW DC PEDESTAL CHARGER 2 X CCS   | 60  | Pedestal      |
| Orbis           | OB94LCOA424O | 60KW DC PEDESTAL CHARGER 1 X CCS + 22KW AC T2  | 82  | Pedestal      |
| Orbis           | OB94LCHA424O | 60KW DC PEDESTAL CHARGERC 1 X CCS & 1 X CHADEMO + 22KW AC T2   | 82  | Pedestal      |
| Orbis           | OB94LCCA424O | 60KW DC PEDESTAL CHARGER 2 X CCS + 22KW AC T2  | 82  | Pedestal      |
| Pioneer IoT     | DC40         | Pioneer DC 40kw Small Fast EV Charger, 2x CCS 2 Plug, Touch screen, RFID WIFI+Ethernet+4G,Wall Mount Kit   | 40  | Wall/Pedestal |
| Pioneer IoT     | DC90+AC22    | Pioneer DC90kw + AC22kw Fast EV Charger, 2x CCS2 Plug + 1x Type 2 Plug for up to 3 Cars Charging At the Same Time, 7 "Touch screen, RFID WIFI+Ethernet+4G  | 112 | Pedestal      |
| Pioneer IoT     | DC180+A22    | Pioneer DC180kw + AC22kw Fast EV Charger, 2x CCS2 Plug + 1x Type 2 Plug for up to 3 Cars Charging At the Same Time, 7 "Touch screen, RFID WIFI+Ethernet+4G | 202 | Pedestal      |

|                          |               |   |     |               |
|--------------------------|---------------|---|-----|---------------|
| Quench Chargers Pvt Ltd. | 30kW-Oasis    | 30 kW-DC fast charger                         | 30  | Wall/Pedestal |
| Quench Chargers Pvt Ltd. | 60kW-Classic  | 60 kW-DC fast charger                         | 60  | Pedestal      |
| Quench Chargers Pvt Ltd. | 120kW-Classic | 120kW-DC fast charger                         | 120 | Pedestal      |
| Quench Chargers Pvt Ltd. | 180kW- q-Line | 180kW-DC fast charger                         | 180 | Pedestal      |
| Quench Chargers Pvt Ltd. | 240kW-q Line  | 240kW-DC fast charger                         | 240 | Pedestal      |
| Scame Parre S.p.A        | 206.D91-E10   | 25kW CCS2 + eth-2/3/4G-WiFi                   | 25  | Wall          |
| Scame Parre S.p.A        | 206.D91-E12   | 25kW CCS2+CHAdeMO + eth-2/3/4G-WiFi           | 25  | Wall          |
| Scame Parre S.p.A        | 206.M91-F100  | BE-M DC 60kW 1x CCS2                          | 60  | Pedestal      |
| Scame Parre S.p.A        | 206.M91-F150  | BE-M DC 60kW CCS2+CHAdeMO SIMUL.              | 60  | Pedestal      |
| Scame Parre S.p.A        | 206.M91-F15V  | BE-M DC 60kW CCS2 + CHAdeMO + 42kW T2 SIMUL.  | 60  | Pedestal      |
| Scame Parre S.p.A        | 206.M91-F160  | BE-M DC 60kW 2xCCS2 SIMUL.                    | 60  | Pedestal      |
| Scame Parre S.p.A        | 206.M91-F16V  | BE-M DC 60kW 2xCCS2 + 43kW T2 SIMUL.          | 60  | Pedestal      |
| Scame Parre S.p.A        | 206.M91-G150  | BE-M DC 90kW CCS2 + CHAdeMO SIMUL.            | 90  | Pedestal      |
| Scame Parre S.p.A        | 206.M91-G15V  | BE-M DC 90kW CCS2 + CHAdeMO + 43kW T2 SIMUL.  | 90  | Pedestal      |
| Scame Parre S.p.A        | 206.M91-G160  | BE-M DC 90kW 2xCCS2 SIMUL.                    | 90  | Pedestal      |
| Scame Parre S.p.A        | 206.M91-G16V  | BE-M DC 90kW 2xCCS2 + 43kW T2 SIMUL.          | 90  | Pedestal      |
| Scame Parre S.p.A        | 206.M91-H150  | BE-M DC 120kW CCS2 + CHAdeMO SIMUL.           | 120 | Pedestal      |
| Scame Parre S.p.A        | 206.M91-H15V  | BE-M DC 120kW CCS2 + CHAdeMO + 43kW T2 SIMUL. | 120 | Pedestal      |
| Scame Parre S.p.A        | 206.M91-H160  | BE-M DC 120kW 2xCCS2 SIMUL.                   | 120 | Pedestal      |
| Scame Parre S.p.A        | 206.M91-H16V  | BE-M DC 120kW 2xCCS2 + 43kW T2 SIMUL.         | 120 | Pedestal      |



|                    |                |  |     |               |
|--------------------|----------------|--|-----|---------------|
| Scame Parre S.p.A  | 206.M91-I150   | BE-M DC 150kW CCS2 + CHAdeMO SIMUL.  | 150 | Pedestal      |
| Scame Parre S.p.A  | 206.M91-I15V   | BE-M DC 150kW CCS2 + CHAdeMO + 43kW T2 SIMUL.  | 150 | Pedestal      |
| Scame Parre S.p.A  | 206.M91-I160   | BE-M DC 150kW 2xCCS2 SIMUL.  | 150 | Pedestal      |
| Scame Parre S.p.A  | 206.M91-I16V   | BE-M DC 150kW 2xCCS2 + 43kW T2 SIMUL.  | 150 | Pedestal      |
| Scame Parre S.p.A  | 206.M91-J150   | BE-M DC 180kW CCS2 + CHAdeMO SIMUL.  | 180 | Pedestal      |
| Scame Parre S.p.A  | 206.M91-J15V   | BE-M DC 180kW CCS2 + CHAdeMO + 43kW T2 SIMUL.  | 180 | Pedestal      |
| Scame Parre S.p.A  | 206.M91-J160   | BE-M DC 180kW 2xCCS2 SIMUL.  | 180 | Pedestal      |
| Scame Parre S.p.A  | 206.M91-J16V   | BE-M DC 180kW 2xCCS2 + 43kW T2 SIMUL.  | 180 | Pedestal      |
| Schneider Electric | EVD1S120THB-AN | Fast charging station, EVlink Pro DC, 120kW, CCS2 + CHAdeMO connectors, 3.6m cable with cable management | 120 | Pedestal      |
| Schneider Electric | EVD1S120TBB-AN | Fast charging station, EVlink Pro DC, 120kW, CCS2 + CCS2 connectors, 3.6m cable with cable management    | 120 | Pedestal      |
| Schneider Electric | EVD1S150THB-AN | Fast charging station, EVlink Pro DC, 150kW, CCS2 + CHAdeMO connectors, 3.6m cable with cable management | 150 | Pedestal      |
| Schneider Electric | EVD1S150TBB-AN | Fast charging station, EVlink Pro DC, 150kW, CCS2 + CCS2 connectors, 3.6m cable with cable management    | 150 | Pedestal      |
| Schneider Electric | EVD1S180THB-AN | Fast charging station, EVlink Pro DC, 180kW, CCS2 + CHAdeMO connectors, 3.6m cable with cable management | 180 | Pedestal      |
| Schneider Electric | EVD1S180TBB-AN | Fast charging station, EVlink Pro DC, 180kW, CCS2 + CCS2 connectors, 3.6m cable with cable management    | 180 | Pedestal      |
| Schneider Electric | EVD1S60TBB-AN  | Fast charging station, EVlink Pro DC, 60kW, CCS2 + CCS2 connectors, 5m cable with cable management       | 60  | Wall/Pedestal |
| Schneider Electric | EVD1S60THB-AN  | Fast charging station, EVlink Pro DC, 60kW, CCS2 + CHAdeMo connectors, 5m cable with cable management    | 60  | Wall/Pedestal |





|  |                         |   |     |               |
|--|-------------------------|---|-----|---------------|
| Schneider Electric                             | EVD1S60TBBC7-AN         | Fast charging station, EVlink Pro DC, 60kW, CCS2 + CHAdeMo connectors, 7m cable without cable management  | 60  | Wall/Pedestal |
| Schneider Electric                             | EVD1S120TBBC7-AN        | Fast charging station, EVlink Pro DC, 120kW, CCS2 + CCS2 connectors, 7.5 m range without cable management | 120 | Pedestal      |
| Schneider Electric                             | EVD1S150TBBC7-AN        | Fast charging station, EVlink Pro DC, 150kW, CCS2 + CCS2 connectors, 7.5 m range without cable management | 150 | Pedestal      |
| Schneider Electric                             | EVD1S180TBBC7-AN        | Fast charging station, EVlink Pro DC, 180kW, CCS2 + CCS2 connectors, 7.5 m range without cable management | 180 | Pedestal      |
| Shanghai SIGEN New Energy Technology Co., Ltd. | SigenStor EVDC 25 5S2   | Sigen EV DC Charging Module 25 kW 5m Cable CCS2   | 25  | Wall/Pedestal |
| Shanghai SIGEN New Energy Technology Co., Ltd. | SigenStor EVDC 25 7.5S2 | Sigen EV DC Charging Module 25 kW 7.5m Cable CCS2   | 25  | Wall/Pedestal |
| Shenzhen Ateess Power Technology Co. Ltd.      | EVD-40D                 | 40kW DC Wall Mount  | 40  | Wall/Pedestal |
| Shenzhen CEGN Co., Ltd.                        | CL5830-C08A             | 120kW DC Fast   | 120 | Pedestal      |
| Shenzhen CEGN Co., Ltd.                        | CL5830-C08B             | 150kW DC Fast   | 150 | Pedestal      |
| Shenzhen CEGN Co., Ltd.                        | CL5830-C08C             | 180kW DC Fast   | 180 | Pedestal      |
| Shenzhen CEGN Co., Ltd.                        | CL5830-C08D             | 180kW DC Fast   | 180 | Pedestal      |
| Shenzhen Greenova                              | GN-ENCDC030KP           | 30kW DC EV Charger, Wall/pole mount   | 30  | Pedestal      |
| Shenzhen Greenova                              | GN-ENCDC030K            | 30kW DC EV Charger, Floor mount   | 30  | Pedestal      |
| Shenzhen Greenova                              | GN-ENCDC040K            | 40kW DC EV Charger, Floor mount   | 40  | Pedestal      |
| Shenzhen Greenova                              | GN-ENCDC060K            | 60kW DC EV Charger, Floor mount   | 60  | Pedestal      |
| Shenzhen Greenova                              | GN-ENCDC080K            | 80kW DC EV Charger, Floor mount   | 80  | Pedestal      |

|   |               |                                  |     |          |
|---|---------------|----------------------------------|-----|----------|
| Shenzhen Greenova                                     | GN-ENCDC100K  | 100kW DC EV Charger, Floor mount | 100 | Pedestal |
| Shenzhen Greenova                                     | GN-ENCDC120K  | 120kW DC EV Charger, Floor mount | 120 | Pedestal |
| Shenzhen Greenova                                     | GN-ENCDC160K  | 160kW DC EV Charger, Floor mount | 160 | Pedestal |
| Shenzhen Greenova                                     | GN-ENCDC180K  | 180kW DC EV Charger, Floor mount | 180 | Pedestal |
| Shenzhen Greenova                                     | GN-ENCDC240K  | 240kW DC EV Charger, Floor mount | 240 | Pedestal |
| Shenzhen Winline Technology Co., Ltd.                 | YLUXD50KE-XX  | 50kW DC CCS2                     | 50  | Pedestal |
| Shenzhen Winline Technology Co., Ltd.                 | YLUXD60KE-XX  | 60kW DC CCS2                     | 60  | Pedestal |
| Shenzhen Winline Technology Co., Ltd.                 | YLUXD80KE-XX  | 80kW DC CCS2                     | 80  | Pedestal |
| Shenzhen Winline Technology Co., Ltd.                 | YLUXD160KE-XX | 160kW DC CCS2                    | 160 | Pedestal |
| Shenzhen Winline Technology Co., Ltd.                 | YLUXD240KE-XX | 240kW DC CCS2                    | 240 | Pedestal |
| Shijiazhuang Tonhe Electronics Technologies Co., Ltd. | THGZQW-60kW   | 60kW DC Compact                  | 60  | Pedestal |
| Shijiazhuang Tonhe Electronics Technologies Co., Ltd. | THGZQW-80kW   | 80kW DC Compact                  | 80  | Pedestal |
| Shijiazhuang Tonhe Electronics Technologies Co., Ltd. | THGZQW-100kW  | 100kW DC Compact                 | 100 | Pedestal |
| Shijiazhuang Tonhe Electronics Technologies Co., Ltd. | THGZQW-200kW  | 200kW DC Ultra Fast              | 200 | Pedestal |



|          |                    |  |     |          |
|----------|--------------------|--|-----|----------|
| Siemens  | 8EM5000-XXXXX-0XXX | SiCharge D 160   | 160 | Pedestal |
| Siemens  | 8EM5001-XXXXX-0XXX | SiCharge D 180   | 180 | Pedestal |
| Siemens  | 8EM5003-XXXXX-0XXX | SiCharge D 240   | 240 | Pedestal |
| Siemens  | 8EM5005-XXXXX-0XXX | SiCharge D 300   | 300 | Pedestal |
| Sinexcel | SEC1000/40Y-CJN-P  | SEC Series Modular Rapid DC Charger 40kW Model CCS 2 + CHA       | 40  | Pedestal |
| Sinexcel | SEC1000/40Y-CCN-P  | SEC Series Modular Rapid DC Charger 40kW Model CCS 2 + CCS 2     | 40  | Pedestal |
| Sinexcel | SEC1000/60Y-CJN-P  | SEC Series Modular Rapid DC Charger 60kW Model CCS 2 + CHA       | 60  | Pedestal |
| Sinexcel | SEC1000/60Y-CCN-P  | SEC Series Modular Rapid DC Charger 60kW Model CCS 2 + CCS 2     | 60  | Pedestal |
| Sinexcel | SEC1000/80Y-CJN-P  | SEC Series Modular Rapid DC Charger 80kW Model CCS 2 + CHA       | 80  | Pedestal |
| Sinexcel | SEC1000/80Y-CCN-P  | SEC Series Modular Rapid DC Charger 80kW Model CCS 2 + CCS 2     | 80  | Pedestal |
| Sinexcel | SEC1000/120Y-CC-DS | SEC Series Modular Rapid DC Charger 120kW with CCS 2 + CCS2      | 120 | Pedestal |
| Sinexcel | SEC1000/120Y-CJ-DS | SEC Series Modular Rapid DC Charger 120kW with CCS 2 + CHA       | 120 | Pedestal |
| Sinexcel | SEC1000/160Y-CC-DS | SEC Series Modular Rapid DC Charger 160kW with CCS 2 + CCS2      | 160 | Pedestal |
| Sinexcel | SEC1000/160Y-CJ-DS | SEC Series Modular Rapid DC Charger 160kW with CCS 2 + CHA       | 160 | Pedestal |
| Sinexcel | SEC1000/240Y-CC-D  | SEC Series Modular Rapid DC Charger 240kW Model with CCS2 + CCS2 | 240 | Pedestal |
| Sinexcel | SEC1000/240Y-CJ-D  | SEC Series Modular Rapid DC Charger 240kW Model with CCS2 + CHA  | 240 | Pedestal |
| Sinexcel | SEC1000/30Y-C-R    | SEC Series Wallbox DC Charger 30kW Model with 1x 80A CCS 2       | 30  | Wall     |
| Sinexcel | SEC1000/60Y-CJ-RA  | SEC Series v1.5 Modular Rapid DC Charger 60kW Model CCS 2 + CHA  | 60  | Pedestal |

|          |                    |   |     |          |
|----------|--------------------|---|-----|----------|
| Sinexcel | SEC1000/60Y-CSJ-RA | SEC Series v1.5 Modular Rapid DC Charger 60kW Model CCS 2 + CHA + AC                        | 82  | Pedestal |
| Sinexcel | SEC1000/60Y-CC-RA  | SEC Series v1.5 Modular Rapid DC Charger 60kW Model CCS 2 + CCS2                            | 60  | Pedestal |
| Sinexcel | SEC1000/60Y-CSC-RA | SEC Series v1.5 Modular Rapid DC Charger 60kW Model CCS 2 + CCS2 + AC                       | 82  | Pedestal |
| Sinexcel | SEC1000/80Y-CJ-RA  | SEC Series v1.5 Modular Rapid DC Charger 80kW Model CCS 2 + CHA                             | 80  | Pedestal |
| Sinexcel | SEC1000/80Y-CSJ-RA | SEC Series v1.5 Modular Rapid DC Charger 80kW Model CCS 2 + CHA + AC                        | 102 | Pedestal |
| Sinexcel | SEC1000/80Y-CC-RA  | SEC Series v1.5 Modular Rapid DC Charger 80kW Model CCS 2 + CCS2                            | 80  | Pedestal |
| Sinexcel | SEC1000/80Y-CSC-RA | SEC Series v1.5 Modular Rapid DC Charger 80kW Model CCS 2 + CCS2                            | 102 | Pedestal |
| Sinexcel | SEC1000/120Y-HH-RA | SEC Series v1.5 Modular Rapid DC Charger 120kW with 2x 300A CCS2 connectors                 | 120 | Pedestal |
| Sinexcel | SEC1000/120Y-HJ-RA | SEC Series v1.5 Modular Rapid DC Charger 120kW with 1x 300A CCS2 and 1x 125A CHA connectors | 120 | Pedestal |
| Sinexcel | SEC1000/160Y-HH-RA | SEC Series v1.5 Modular Rapid DC Charger 160kW with 2x 300A CCS2 connectors                 | 160 | Pedestal |
| Sinexcel | SEC1000/160Y-HJ-RA | SEC Series v1.5 Modular Rapid DC Charger 160kW with 1x 300A CCS2 and 1x 125A CHA connectors | 160 | Pedestal |
| Sinexcel | SEC1000/200Y-HH-D  | SEC Series v1.5 Modular Rapid DC Charger 200kW Model with 2x 350A CCS2 Connectors           | 200 | Pedestal |
| Sinexcel | SEC1000/200Y-HJ-D  | SEC Series v1.5 Modular Rapid DC Charger 200kW Model with 1x 350A CCS2 and 1x 125A CHA      | 200 | Pedestal |
| Sinexcel | SEC1000/240Y-HH-D  | SEC Series v1.5 Modular Rapid DC Charger 240kW Model with 2x 350A CCS2 Connectors           | 240 | Pedestal |
| Sinexcel | SEC1000/240Y-HJ-D  | SEC Series v1.5 Modular Rapid DC Charger 240kW  | 240 | Pedestal |



|         |  |   |     |               |
|---------|--|---|-----|---------------|
|         |  | Model with 1x 350A CCS2 and 1x 125A CHA   |     |               |
| Smappee | EVU-80D-C3-B   | EV Ultra 80kW (Dual 40kW) Black   | 80  | Pedestal      |
| Smappee | EVU-240S-C3-B  | EV Ultra 240kW Single Black   | 240 | Pedestal      |
| Smappee | EVU-240D-C3-B  | EV Ultra 240 (Dual 120kW) Black   | 240 | Pedestal      |
| Sungrow | IDC30E   | Sungrow 30kW DC charger with 1* CCS2 charging connector, and 5m charging cable.   | 30  | Wall          |
| Sungrow | IDC180E-120kW  | Sungrow 180kW DC charger with 2* CCS2 charging connector, and 5m charging cable.  | 120 | Pedestal      |
| Sungrow | IDC180E-150kW  | Sungrow 180kW DC charger with 2* CCS2 charging connector, and 5m charging cable.  | 150 | Pedestal      |
| Sungrow | IDC180E-180kW  | Sungrow 180kW DC charger with 2* CCS2 charging connector, and 5m charging cable.  | 180 | Pedestal      |
| Sungrow | ENS180KW   | ENSOL 180kW Dual Charger  | 180 | Wall/Pedestal |
| Sungrow | ENS30KW  | ENSOL 30kW Charger  | 30  | Wall/Pedestal |
| Tribus  | 30 kW CCS2   | DC Charger  | 30  | Wall/Pedestal |
| Tribus  | 40 kW CCS2   | DC Charger  | 40  | Wall/Pedestal |
| Tribus  | 40 kW CCS2 x 2   | DC Charger  | 40  | Wall/Pedestal |
| Tritium | RTM - Part Number CID 18599 (50kW)                                   | The RTM contains all power electronics, user control, and vehicle charge cables in the one slim and aesthetic Tritium Charging Station.       | 50  | Pedestal      |
| Tritium | RTM - Part Number CID 18599 (75kW)                                   | The RTM contains all power electronics, user control, and vehicle charge cables in the one slim and aesthetic Tritium Charging Station.       | 75  | Pedestal      |
| Tritium | PKM - Part Number CID19888 Rectification Unit - Part Number CID20617 | The PKM range contains all of Tritium's Core Technologies, including modular, liquid cooled power electronics, IP65 environmental protection, | 150 | Pedestal      |



|                                       |                       |   |     |               |
|---------------------------------------|-----------------------|---|-----|---------------|
|                                       |                       | intuitive user experience, network connectivity with advanced monitoring.   |     |               |
| Wallbox Chargers S.L.U.               | DCF1-212-8460000-WB1  | Supernova 60kW / CCS-CCS / 5m cables / Split Charge                         | 60  | N/A           |
| Wallbox Chargers S.L.U.               | DCF2-228-84680000-WV3 | Supernova 120kW / CCS-CCS / 5m cables/ Split Charge                         | 120 | N/A           |
| Wallbox Chargers S.L.U.               | DCF2-225-84600000-WB1 | Supernova 150kW / CCS-CCS / 5m cables / Split Charge                        | 150 | N/A           |
| Wallbox Chargers S.L.U.               | DCF1-212-84620000-WB1 | Supernova 60kW / CCS-CCS / 5m cables / Split Charge / EVA                   | 60  | Pedestal      |
| Wallbox Chargers S.L.U.               | DCF2-225-84620000-WB1 | Supernova 150kW / CCS-CCS / 5m cables / Split Charge / EVA                  | 150 | Pedestal      |
| Wallbox Chargers S.L.U.               | DCF2-228-84620000-WB1 | Supernova 120kW / CCS-CCS / 5m cables/ Split Charge / EVA                   | 120 | Pedestal      |
| Wallbox Chargers S.L.U.               | DCF2-228-84600000-WB1 | Supernova 120kW / CCS-CCS / 5m cables/ Split Charge                         | 120 | Pedestal      |
| Zerova                                | DMYE301J00D2PH-RW     | 30kW Wallmount Charger, CCS2 and CHAdeMO cables, single output, 4.5m cables | 30  | Wall/Pedestal |
| Zerova                                | DSYE601E0ED2PH-RW     | 60kW Freestanding Charger, dual CCS2, 4.5m cables                           | 60  | Pedestal      |
| Zerova                                | DSYE122E0EDBPH-RW     | 120kW DC charger with dual 4m 300A CCS2 cables, upgradable to 180kW         | 120 | Pedestal      |
| Zhuhai Sino Energy Technology Co. Ltd | PEVC3401E             | 30kW Fast DC Charger  | 30  | Wall/Pedestal |
| Zhuhai Sino Energy Technology Co. Ltd | PEVC3106E             | 60kW Fast DC Charger  | 60  | Pedestal      |
| Zhuhai Sino Energy Technology Co. Ltd | PEVC3107E             | 160kW Fast DC Charger   | 160 | Pedestal      |
| Zhuhai Sino Energy Technology Co. Ltd | PEVC3108E             | 240kW Fast DC Charger   | 240 | Pedestal      |
| Zhuhai Sino Energy Technology Co. Ltd | PEVC3302E             | 250kW Fast DC Charger   | 250 | Pedestal      |

|  |                                    |                       |     |          |
|--|------------------------------------|-----------------------|-----|----------|
| Zhuhai Sino Energy Technology Co. Ltd  | PEVC3302U                          | 250kW Fast DC Charger | 250 | Pedestal |
| ZhuHai Sino Energy Technology Co.,Ltd. | PEVC3108E-60k<br>1000D2/CCS2+CCS2  | DC EV charger         | 60  | Pedestal |
| ZhuHai Sino Energy Technology Co.,Ltd. | PEVC3108E-120k<br>1000D2/CCS2+CCS2 | DC EV charger         | 120 | Pedestal |
| ZhuHai Sino Energy Technology Co.,Ltd. | PEVC3108E-180k<br>1000D2/CCS2+CCS2 | DC EV charger         | 180 | Pedestal |
| ZhuHai Sino Energy Technology Co.,Ltd. | PEVC3108E-240k<br>1000D2/CCS2+CCS  | DC EV charger         | 240 | Pedestal |